

# Nitrous Oxide/ Oxygen Sedation Catalog

**2024**

Pricing Effective  
January 1, 2024

SEE  
ENCLOSED  
.....  
**Sterilization  
Center Water  
Solutions  
Insert**



To our valued Customers and Partners,

On behalf of all my global teammates, I would like to personally thank you for choosing HuFriedyGroup as your partner in delivering nitrous oxide/oxygen sedation solutions. For those of you who might not have heard, Accutron is now a member of HuFriedyGroup after joining forces in 2019 with Hu-Friedy, Crosstex and Palmero, to name a few. The word "Group" encompasses the expanded value we are honored to provide together, with over 200 years of collective experience and commitment to dental professionals.

More recently, in June 2021, HuFriedyGroup became part of STERIS. STERIS is a leading provider of infection prevention and other procedural products and services. We couldn't be more excited to join the STERIS family as its fourth business segment. Despite a few changes over the years, one thing has remained constant: our focus on delivering you the highest quality product, service, and educational experiences in the dental industry.

Our promise is to help clinicians be the Best in Practice. As our customers keep dentistry moving forward, we will be there every step of the way on this journey. I am so excited to see what the future holds.



Sincerely,

A handwritten signature in blue ink that reads "Andy Xilas". The signature is fluid and cursive, written over a white background.

Andy Xilas  
*President*




<b>Who We Are</b> . . . . .	<b>3</b>
Contact and Service Information . . . . .	4
<b>Flowmeters</b> . . . . .	<b>7</b>
Accutron™ Digital Ultra™ Flowmeters & Accessories . . . . .	8
Accutron™ Newport™ Flowmeter Systems . . . . .	15
Accutron™ Ultra PC™ Cabinet Mount Flowmeter & Accessories . . . . .	17
Accutron™ Ultra PC™ % Flowmeter . . . . .	20
Accutron™ Ultra DC™ Flowmeter . . . . .	24
Oral Surgery Flowmeters & Accessories . . . . .	26
<b>Vacuum Controllers &amp; Mounts</b> . . . . .	<b>31</b>
Vacuum Controllers . . . . .	32
RFS™ Remote Flow System Chairmount Kits . . . . .	33
Universal Cabinet Slide Mounts . . . . .	38
Flowmeter Mounts & Stands . . . . .	39
<b>Manifold Systems</b> . . . . .	<b>41</b>
Accutron™ Digi-Flo™ Digital Automatic Switching Manifold Systems . . . . .	42
Accutron™ Guardian Monitor™ Manifold/Alarm System . . . . .	44
<b>Hoses, Connectors &amp; Outlet Stations</b> . . . . .	<b>49</b>
Hoses & Connectors . . . . .	50
Recessed, Surface & Micro Outlet Stations . . . . .	54
<b>Nasal Masks</b> . . . . .	<b>57</b>
Accutron™ Axess™ Low Profile Nasal Masks . . . . .	58
Accutron™ ClearView™ Single-Use Nasal Masks . . . . .	59
Accutron™ PIP+™ Nasal Masks . . . . .	60
Capnography Adapters & Bundles . . . . .	62
<b>Scavenging Circuits</b> . . . . .	<b>65</b>
Accutron™ Axess™ Scavenging Circuits . . . . .	66
Accutron™ ClearView™ Scavenging Circuits . . . . .	68
Accutron™ PIP+™ Scavenging Circuits . . . . .	70
<b>Oxygen Equipment &amp; Components</b> . . . . .	<b>73</b>
<b>Rubber Goods &amp; Other Components</b> . . . . .	<b>79</b>
Rubber Goods & Other Components . . . . .	80

**Pricing Effective Date:** January 1, 2024

**Note:** Pricing is subject to change without notice. Please consult most up-to-date price list.

**Canadian Sales Note:** Some of the devices and/or products advertised may not be licensed for sale in accordance with Canadian law.



**ACCUTRON**  
Nitrous Oxide/Oxygen Sedation

**CROSSTEX**

**Hu-Friedy**

**PALMERO**  
HEALTHCARE



# Who We Are

HuFriedyGroup is the global leader in dental instrument manufacturing, nitrous oxide/oxygen sedation solutions, infection prevention, and instrument reprocessing workflows, with over 200 years of collective experience in the dental industry.

HuFriedyGroup is the combination of Accutron, Crosstex International, Hu-Friedy, and Palmero Healthcare, bringing together a combination of companies under one roof to deliver the products, services, and solutions dental professionals need to be the Best in Practice.

Together, HuFriedyGroup brings world-class products, services, education, and communities that result in superior clinician performance, superior clinical outcomes, and safety for clinicians and patients. Headquartered in Chicago, HuFriedyGroup products are distributed in more than 100 countries, and the dental division maintains offices in Germany, Italy, China, and Japan.



## Conscious Sedation Delivery Options

Accutron has been a market leader of innovative nitrous oxide/oxygen sedation products including single-use nasal masks, scavenging systems, manifolds, flowmeter systems and associated components. Now a member of HuFriedyGroup, the Accutron product line offers flexible options for each and every practice.

### Contact and Service Information



Call our Customer Care team at  
**(800) 531-2221.**  
*Hours of Operation: 7:00 AM - 5:00 PM CST*



Email our Customer Care team at  
**[orders@accutron-inc.com](mailto:orders@accutron-inc.com).**



For NA equipment sales inquiries,  
please visit **[www.HuFriedyGroup.com/Wheretobuy/Accutron](http://www.HuFriedyGroup.com/Wheretobuy/Accutron)**.



Learn more about our entire line of  
**Accutron™ Products.**

### Service Ship-to Address

1733 W. Parkside Ln.  
Phoenix, AZ 85027



For a Return Authorization number  
contact  
**[serviceandrepairs@hu-friedy.com](mailto:serviceandrepairs@hu-friedy.com)**.



Accutron Flowmeters carry a 2-year warranty,  
and Manifolds and other items carry a 1-year  
warranty. For the full warranty, visit:  
**[www.HuFriedyGroup.com/Services/Warranties](http://www.HuFriedyGroup.com/Services/Warranties)**.



### Portable

- Can move between operatories for increased flexibility.
- Occupies less space and no requirement for central storage unit.
- Utilizes E cylinders and is an optimal solution when frequency of administration is low.
- Available in enclosed option to keep cylinders out of sight and make disinfection faster.



### Centralized


- Optimal solution when nitrous oxide/oxygen sedation is used frequently.
- Requires central storage area for cylinders and initial investment in gas storage system.
- Utilizes G and H cylinders so more cost-effective over time.



### Chairside

- Eliminate long mixed gas and vacuum hoses draping from adjacent cabinets.
- Create uncluttered, safer work zone for doctor and staff.
- Minimize displacement of patient mask caused by drag/pull and weight of long hoses.
- Kits available for a wide variety of dental chair brands.

<b>Accutron™ Digital Ultra™ Flowmeters &amp; Accessories</b>	<b>8</b>
Accutron™ Digital Ultra™ Flushmount Flowmeter	8
Accutron™ Digital Ultra™ Flowmeter	13
<b>Accutron™ Newport™ Flowmeter Systems</b>	<b>15</b>
Accutron™ Newport™ Digital Flowmeter System	16
Accutron™ Newport™ Flowmeter System	16
<b>Accutron™ Ultra PC™ Cabinet Mount Flowmeter &amp; Accessories</b>	<b>17</b>
<b>Accutron™ Ultra PC™ % Flowmeter</b>	<b>20</b>
<b>Accutron™ Ultra DC™ Flowmeter</b>	<b>24</b>
<b>Oral Surgery Flowmeters &amp; Accessories</b>	<b>26</b>
Oral Surgery Flowmeter Systems	26
Ultra PC™ % Oral Surgery Flowmeter Packages	27
Ultra DC™ % Oral Surgery Flowmeter Packages	28
Oral Surgery Accessories	29
Oral Surgery Suction Accessories	29



## Flowmeters

We offer a full line of equipment solutions to implement conscious sedation into your practice - your way.

Our Accutron™ Digital Ultra™ Flowmeters are available in both mounted and portable configurations so you can choose what best fits your operatory set up.



## Accutron™ Digital Ultra™ Flowmeters & Accessories

The Accutron™ Digital Ultra™ Flowmeters are designed for clinicians who prefer to work in a digital environment but want critical parameters displayed both numerically and as electronic flow tubes. With multiple configurations available to suit the needs of your practice, the Accutron™ Digital Ultra™ Flowmeter also features color-coded, fingertip controls, a sealed flush surface for easy disinfection or barrier protection and a clean, contemporary design.



### Accutron™ Digital Ultra™ Flushmount Flowmeter

Our Accutron™ Digital Ultra™ Flushmount Flowmeters features automatic compensation to easily adjust total flow or gas ratio while the other stays constant and include both digital and electronic flowtube displays for ease of use.

For patient safety, the maximum nitrous oxide ratio is 70%. Audible and visual alarms provide notification of low oxygen. For additional safety, these Flowmeters feature oxygen fail-safe and flush.



Learn more about our [Accutron™ Digital Ultra™ Flowmeters](#).



Dimensions Flushmount Control Module:  
9.25 in x 4 in x 1.5 in (23.5 cm x 10.2 cm x 3.8 cm)  
Dimensions Remote Main Module:  
8 in x 4 in x 7.5 in (20.3 cm x 10.2 cm x 19.1 cm)  
Mounted Dimensions:  
(W x H x D): 9.5 in x 4.25 in x .25 in (24.1 cm x 10.8 cm x .64 cm)  
Weight Flushmount Control Module: 1.3 lbs (0.6 kg)  
Weight Remote Main Module: 6.1 lbs (2.8 kg)  
Mixed Gas Outlet Diameter: .875 in Nominal (22mm)  
Oxygen Inlet: Male DISS (CGA 1240)

Nitrous Oxide Inlet: Male DISS (CGA 1040)  
Nitrous Oxide Mixed Ratio Range: 0-70%  
Oxygen Flow Range: 1.0 to 9.9 LPM  
Nitrous Oxide Flow Range: 0 to 6.9 LPM  
Inlet Pressure (each gas): 50 to 55 psi  
Resuscitator Connector:  
Quick Connect (.25 in Imperial) at Remote Outlet  
Resuscitator Connector Flow: 100 LPM Oxygen  
Power Requirements: 100-240 V AC, 50-60 Hz, 30 Watts

**A**



**Accutron™ Digital Ultra™ Flushmount Flowmeter**

**D**



**RFS™ Remote Flow 36855-CHAIR**

**G**



**Accutron™ Clearview™ Scavenging Circuit II 43004**  
(for RFS™ System D and Accu-Vac™ Vacuum Controller)

**B**



**Bag Tee 26679 & Remote Block 27187**

**E**



**Accu-Vac™ Vacuum Controller 56955**

**H**



**Check Valve Risers 23173-FRU 23174-FRU**

**C**



**RFS™ Remote Flow (Digital) 56855**

**F**



**Accutron™ Clearview™ Scavenging Circuit II (Standard) 43003**  
Includes a complimentary sampling of single-use nasal masks.

**I**



**Oxygen Outlet 27793-FRU**

## Central Systems

<b>56800</b>	<b>TOP SELLER</b>	<b>\$7,460.00</b>	<b>56600</b>	<b>Accutron™ Digital Ultra™ Flushmount Package G</b>	<b>\$7,124.00</b>
				Accutron™ Digital Ultra™ Flushmount Flowmeter, Mounting Hardware, Check Valve Risers, RFS™ Remote Flow System D (with O <sub>2</sub> port), RFS™ Flush Panel Mount Faceplate, one 10 ft O <sub>2</sub> hose, 10 ft of Mixed Gas Hose, One 6 ft N <sub>2</sub> O Hose, One 6 ft O <sub>2</sub> Hose and Accutron™ Clearview™ Scavenging Circuit II (for RFS™-D)	
				<i>Includes A C G H</i>	
<b>56800-CHAIR</b>	<b>TOP SELLER</b>	<b>\$7,722.00</b>	<b>56950</b>	<b>Accutron™ Digital Ultra™ Flushmount Package I</b>	<b>\$8,072.00</b>
				Accutron™ Digital Ultra™ Flushmount Flowmeter, Mounting Hardware, Check Valve Risers, Accu-Vac™ Vacuum Controller, Accu-Vac™ Vacuum Controller Flush Panel Mount Faceplate, Accutron™ Clearview™ Scavenging Circuit II (for Accu-Vac™ Vacuum Controller)	
				<i>Includes A E G H</i>	
<b>56800-CKK</b>			<b>56800-CKK</b>	<b>56800 Chair Conversion Kit</b>	<b>\$1,194.00</b>
				<i>Converts cabinet mount package to a chair package. Includes: Oxygen outlet, hoses, proper fittings and decals.</i>	



### Digital Flushmount Flowmeters (without pre-installation kits)


<b>56600-NS</b>	<b>Digital Ultra™ Flushmount Flowmeter Pkg. G</b> <i>(includes mounting hardware)</i>	<b>\$6,786.00</b>
<b>56800-NS</b>	<b>Digital Ultra™ Flushmount Flowmeter Pkg. H</b> <i>(includes mounting hardware, Remote Flow System and RFS™ Flush Mount Faceplate)</i>	<b>\$7,116.00</b>
<b>56800-CHAIR-NS</b>	<b>Digital Ultra™ Flushmount Flowmeter Pkg. H CHAIR</b> <i>(includes mounting hardware, Remote Flow System and RFS™ Flush Mount Faceplate)</i>	<b>\$7,374.00</b>
<b>56950-NS</b>	<b>Digital Ultra™ Flushmount Flowmeter Pkg. I</b> <i>(includes mounting hardware, Accu-Vac™ Vacuum Controller and Accu-Vac™ Flush Mount Faceplate)</i>	<b>\$7,718.00</b>

### Flowmeter Pre-installation Kit Components

<b>23173-FRU</b>	<b>TOP SELLER</b> <b>O<sub>2</sub> Check Valve Riser - DISS</b> <i>(for operator); includes 28085</i>	<b>\$178.00</b>
		
<b>23174-FRU</b>	<b>TOP SELLER</b> <b>N<sub>2</sub>O Check Valve Riser - DISS</b> <i>(for operator); includes 28086</i>	<b>\$178.00</b>
		
<b>28085-FRU</b>	<b>O<sub>2</sub> DISS x DISS Demand Check Valve Assembly</b>	<b>\$110.00</b>
		
<b>28086-FRU</b>	<b>N<sub>2</sub>O DISS x DISS Demand Check Valve Assembly</b>	<b>\$110.00</b>
		



## Accessories


<p><b>23173-FRU</b></p> 	<p><b>TOP SELLER</b></p> <p><b>O2 Check Valve Riser - DISS</b> (for operator); includes 28085</p>	<p><b>\$178.00</b></p>	<p><b>32015</b></p> 	<p><b>Universal Cabinet Slide, Accu-Vac™ Vacuum Controller</b> (slide mounts to left, right, or under cabinet)</p>	<p><b>\$654.00</b></p>
<p><b>23174-FRU</b></p> 	<p><b>TOP SELLER</b></p> <p><b>N<sub>2</sub>O Check Valve Riser - DISS</b> (for operator); includes 28086</p>	<p><b>\$178.00</b></p>	<p><b>32018</b></p> 	<p><b>TOP SELLER</b></p> <p><b>Universal Cabinet Slide, Digital RFS™ Remote Flow System</b> (slide mounts to left, right, or under cabinet)</p>	<p><b>\$654.00</b></p>
<p><b>25043</b></p> 	<p><b>Universal Light Pole Mount Kit for RFS™ - D</b></p>	<p><b>\$590.00</b></p>	<p><b>32019</b></p> 	<p><b>Universal Cabinet Slide, Digital Bag Tee</b> (slide mounts to left, right, or under cabinet)</p>	<p><b>\$654.00</b></p>
<p><b>27193</b></p> 	<p><b>Bracket for Digital Ultra™ Flushmount Flowmeter</b> (use for mounting flowmeter in wall)</p>	<p><b>\$156.00</b></p>			
<p><b>27793-FRU</b></p> 	<p><b>Oxygen Outlet</b> (for use with Digital Ultra™ Flushmount, RFS™ System A &amp; RFS™ Chairmount Kits)</p>	<p><b>\$362.00</b></p>	<p><b>32055</b></p> 	<p><b>Surface Mount for Digital Ultra™ Flushmount</b> (flowmeter not included)</p>	<p><b>\$386.00</b></p>
<p><b>27328</b></p> 	<p><b>Main Module Mounting Bracket</b></p>	<p><b>\$96.00</b></p>	<p><b>54500</b></p> 	<p><b>Remote Control for Digital Ultra™ Flowmeter</b></p>	<p><b>\$600.00</b></p>
<p><b>28085-FRU</b></p> 	<p><b>O2 DISS x DISS Demand Check Valve Assembly</b></p>	<p><b>\$110.00</b></p>	<p><b>20212</b></p> 	<p><b>Reinforced Spiral Vacuum Tube</b> Order by the foot.</p>	<p><b>\$12.00</b></p>
<p><b>28086-FRU</b></p> 	<p><b>N2O DISS x DISS Demand Check Valve Assembly</b></p>	<p><b>\$110.00</b></p>			

## Accutron™ Digital Ultra™ Flushmount Flowmeter Template

**Slimline design separates control module from gas supply module and offers:**


- More accessible cabinet space
- Flexible installation choices
- Mounting in wall as an option

Options for vacuum system controllers include: Standard Bag Tee, Accu-Vac™ Vacuum Controller or RFS™ Remote Flow System.





### Accutron™ Digital Ultra™ Flushmount Flowmeter, 56800-CHAIR





**1. In advance of construction:**


- a) Provide for tubing chase from flowmeter location to chair J-Box.
- b) Install Vacuum, Oxygen, and Nitrous Oxide risers.

**2. Installation:**

- a) Ensure cut-outs for the flowmeter and oxygen outlet are located correctly.
- b) Mount Control Module Bracket, with long slot down. Feed cable through the slot. Connect cable to controller and press controller into bracket. Make sure cable is not pinched. To remove controller from the bracket, insert screwdriver into slot at bottom corner of controller and pry outward.
- c) Pull the Mixed Gas and Vacuum lines up to the Remote Flow System mounting location on the chair.
- d) Install Remote Flow System to chair. (Requires purchase of brand-specific Chairmount Kit).
- e) Complete connections of all hoses.



### Accutron™ Digital Ultra™ Flushmount Flowmeter with RFS™ Mounted in Cabinet



*In-cabinet illustrations are specific to 56800 Digital Ultra™ Flushmount with RFS™ Remote Flow System Vacuum Controller.*

All templates are not to scale.



## Accutron™ Digital Ultra™ Flowmeter

Our Accutron™ Digital Ultra™ Flowmeter features automatic compensation to easily adjust total flow or gas ratio while the other stays constant and both digital and electronic flowtube displays for ease of use. For patient safety, the maximum nitrous oxide ratio is 70%. Audible and visual alarms provide notification of low oxygen. For additional safety, these Flowmeters feature oxygen fail-safe and flush.

Also includes emergency oxygen resuscitation connector as well as a sealed flush surface to make it easy to disinfect or barrier-protect. Sealed flush surface makes it easy to disinfect or barrier-protect.

Dimensions Control Module:  
 7.5 in x 7 in x 8.75 in (19.1 cm x 17.8 cm x 22.2 cm)  
 Weight: 6.3 lbs  
 Mixed Gas Outlet Diameter: .875 in Nominal (22mm)  
 Oxygen Inlet: Male DISS (CGA 1240)  
 Nitrous Oxide Inlet: Male DISS (CGA 1040)  
 Nitrous Oxide Mixed Ratio Range: 0 to 70%

Oxygen Flow Range: 1.0 to 9.9 LPM  
 Nitrous Oxide Flow Range: 0 to 6.9 LPM  
 Inlet Pressure (each gas): 50 to 55 psi  
 Resuscitator Connector: Quick Connect (.25 in Imperial)  
 Resuscitator Connector Flow: 100 LPM Oxygen  
 Power Requirements: 100-240 V AC, 50-60 Hz, 30 Watts



**A** Accutron™ Digital Ultra™ Flowmeter  
**51975**



**D** Mobile Stand  
**32005**  
Height with Flowmeter:  
35.75 in,  
W x D: 22 in x 22 in



**G** 16 in Bi-fold Wall Arm  
**32001**



**B** 4-Cylinder Portable System  
**54000**  
Height with Flowmeter:  
36.375 in,  
W x D: 22 in x 22 in



**E** Adjustable Mobile Stand  
**42005**  
Height with Flowmeter:  
H: 19.5 in to 30 in  
W x D: 22 in x 22 in



**H** Telescoping Wall Arm  
**32003**  
(Extends 12 in to 17 in)



**C** Accutron™ Clearview™ Scavenging Circuit II (Standard)  
**43003**  
Includes a complimentary sampling of single-use nasal masks.



**F** 9 in Wall Arm  
**32002**

### Flowmeter Only

<b>51975</b>	Accutron™ Digital Ultra™ Flowmeter	<b>\$4,736.00</b>
	Includes <b>A</b>	

### Portable Systems

<b>56100</b>	<b>TOP SELLER</b> Accutron™ Digital Ultra™ Flowmeter Package B	<b>\$8,582.00</b>
	Digital Ultra™ Flowmeter, 4-Cylinder Portable System, Accutron™ Clearview™ Scavenging Circuit II	
	Includes <b>A B C</b>	

### Central Systems

<b>56200</b>	Accutron™ Digital Ultra™ Flowmeter Package C	<b>\$5,776.00</b>
	Digital Ultra™ Flowmeter, Mobile Stand, Accutron™ Clearview™ Scavenging Circuit II	
	Includes <b>A C D</b>	

<b>56400</b>	Accutron™ Digital Ultra™ Flowmeter Package E	<b>\$5,776.00</b>
	Digital Ultra™ Flowmeter, 16 in Bi-fold Wall Arm, Mounting Adapter 24552, Accutron™ Clearview™ Scavenging Circuit II	
	Includes <b>A C G</b>	

<b>56200-ADJS</b>	Accutron™ Digital Ultra™ Flowmeter Package C ADJS	<b>\$5,776.00</b>
	Digital Ultra™ Flowmeter, Adjustable Mobile Stand – Short, Accutron™ Clearview™ Scavenger Circuit II	
	Includes <b>A C E</b>	

<b>56500</b>	Accutron™ Digital Ultra™ Flowmeter Package F	<b>\$5,776.00</b>
	Digital Ultra™ Flowmeter, Telescoping Wall Arm, Mounting Adapter 24552, Accutron™ Clearview™ Scavenging Circuit II	
	Includes <b>A C H</b>	

<b>56300</b>	Accutron™ Digital Ultra™ Flowmeter Package D	<b>\$5,776.00</b>
	Digital Ultra™ Flowmeter, 9 in Wall Arm, Mounting Adapter 24552, Accutron™ Clearview™ Scavenging Circuit II	
	Includes <b>A C F</b>	

Order quick connect hoses for Packages C-F separately.

# Accutron™ Newport™ Flowmeter Systems



**A**  
Accutron™  
Newport™  
Digital  
Flowmeter  
System



**B**  
Accutron™  
Newport™  
Flowmeter  
System



**Scavenging Circuit II (Standard)**  
*Includes a complimentary sampling  
of single-use nasal masks.*



### Accutron™ Newport™ Digital Flowmeter System

The Accutron™ Newport™ Digital Flowmeter System has all of the operating features of the Accutron™ Digital Ultra™ Flowmeter, plus its enclosed 4-cylinder design makes it a user-friendly portable that can easily be moved from operator to operator. The unit's height allows it to be stored under counter space that is open below. If not stored, its flat surface can function as additional counter space.

#### Product Specifications

Dimensions H x D x W: 31.75 in x 24 in x 19.25 in  
(80.6 cm x 61 cm x 48.9 cm)

<b>51000</b>	<b>Accutron™ Newport™ Digital Flowmeter System</b> 4-Cylinder Enclosed Portable, Scavenging Circuit II <i>Includes A C</i>	<b>\$10,554.00</b>
<b>25746</b>	<b>FRU Newport O<sub>2</sub> Regulator</b>	<b>\$450.00</b>
<b>25747</b>	<b>FRU Newport N<sub>2</sub>O Regulator</b>	<b>\$450.00</b>

### Accutron™ Newport™ Flowmeter System

The Accutron™ Newport™ Flowmeter System has all of the operating features of the Ultra PC™ % Flowmeter, plus its enclosed 4-cylinder design makes it a user-friendly portable that can easily be moved from operator to operator. The unit's height allows it to be stored under counter space that is open below. If not stored, its flat surface can function as additional counter space.


#### Product Specifications

Dimensions H x D x W: 31.75 in x 24 in x 19.25 in  
(80.6 cm x 61 cm x 48.9 cm)

<b>50000</b>	<b>Accutron™ Newport™ Flowmeter System</b> 4-Cylinder Enclosed Portable, Scavenging Circuit II <i>Includes B C</i>	<b>\$9,592.00</b>
--------------	---	-------------------

**Accutron™  
Ultra PC™  
Cabinet Mount  
Flowmeter  
& Accessories**

Our Accutron™ Ultra PC™ % Cabinet Mount Flowmeter features single-knob total flow control and nitrous oxide ratio control with 70% maximum. This Flowmeter also includes oxygen fail-safe, oxygen flush, oxygen resuscitation connector, emergency air valve, directional check valve and continuous oxygen and nitrous oxide flow tubes. Accessories for this product are also available.



- **Featured Mounting Option: Universal Cabinet Slides**
- **Three cabinet mounting positions**



# Flowmeters • Accutron™ Ultra PC™ % Cabinet Mount Flowmeter

Dimensions Flushmount Control Module:  
 7.5 in x 7 in x 8.75 in (19.1 cm x 17.8 cm x 22.2 cm)  
 Weight: 6.3 lbs  
 Mixed Gas Outlet Diameter: .875 in Nominal (22mm)  
 Oxygen Inlet: Male DISS (CGA 1240)  
 Nitrous Oxide Inlet: Male DISS (CGA 1040)  
 Nitrous Oxide Mixed Ratio Range: 0 to 70%

Oxygen Flow Range: 1.0 to 9.9 LPM  
 Nitrous Oxide Flow Range: 0 to 6.9 LPM  
 Inlet Pressure (each gas): 50 to 55 psi  
 Resuscitator Connector: Quick Connect (.25 in Imperial)  
 Resuscitator Connector Flow: 100 LPM Oxygen  
 Power Requirements: 100-240 V AC, 50-60 Hz, 30 Watts

**A**

**Accutron™ Ultra PC™ % Cabinet Mount Flowmeter**



**D**

**Accutron™ ClearView™ Scavenging Circuit II (Standard)**



**43003**

*Includes a complimentary sampling of single-use nasal masks.*

**G**

**O<sub>2</sub> DISS & N<sub>2</sub>O DISS x DISS Demand Check Valve Assembly**



**28085-FRU**

**28086-FRU**

**B**

**Bag Tee**

**26679**



**E**

**Accutron™ ClearView™ Scavenging Circuit II (RSF™ System A)**



**43004**

**H**

**Universal Cabinet Slide, Analog Bag Tee**

**32008**



**C**

**RFS™ Remote Flow System A**

**36855**



**F**

**O<sub>2</sub> & N<sub>2</sub>O Check Valve Risers**

**23173-FRU**

**23174-FRU**



**I**

**Universal Cabinet Slide, Remote Flow System (RFS™ System A)**

**32014**



## Central Systems

<b>31970</b>	<b>Accutron™ Ultra PC™ % Cabinet Mount Flowmeter Only</b> <i>Includes <b>A</b></i>	<b>\$4,328.00</b>
<b>36600</b>	<b>Accutron™ Ultra PC™ % Cabinet Mount Flowmeter Package G</b> Accutron™ Ultra PC™ % Cabinet Mount Flowmeter, Mounting Hardware, Check Valve Risers, Bag Tee, Accutron™ ClearView™ Scavenging Circuit II (standard) <i>Includes <b>A B D F</b></i>	<b>\$6,174.00</b>
<b>36800</b>	<b>Accutron™ Ultra PC™ % Cabinet Mount Flowmeter Package H</b> Accutron™ Ultra PC™ % Cabinet Mount Flowmeter, Mounting Hardware, Check Valve Risers, RFS™ Remote Flow System A, Accutron™ ClearView™ Scavenging Circuit II (for RFS™ System A) <i>Includes <b>A C E F</b></i>	<b>\$6,606.00</b>
<b>36800-CHAIR</b>	<b>Accutron™ Ultra PC™ % Cabinet Mount Flowmeter Pkg. H CHAIR</b> Accutron™ Ultra PC™ % Cabinet Mount Flowmeter, Mounting Hardware, RFS™ Remote Flow System A, O <sub>2</sub> and N <sub>2</sub> O Check Valve Risers, 25' of Vacuum Hose, 5' of Mixed Gas Hose, One 6' N <sub>2</sub> O Hose, One 6' O <sub>2</sub> Hose, and Accutron™ ClearView™ Scavenging Circuit II (for RFS™ System A) <i>Includes <b>A C E F</b></i> <b>CHAIRMOUNT KIT SOLD SEPARATELY.</b>	<b>\$6,904.00</b>

## Accessories

<b>23173-FRU</b>	O <sub>2</sub> Check Valve Riser - DISS includes 28085	<b>\$178.00</b>
<b>23174-FRU</b>	N <sub>2</sub> O Check Valve Riser - DISS includes 28086	<b>\$178.00</b>
<b>28085-FRU</b>	O <sub>2</sub> DISS x DISS Demand Check Valve Assembly	<b>\$110.00</b>
<b>28086-FRU</b>	N <sub>2</sub> O DISS x DISS Demand Check Valve Assembly	<b>\$110.00</b>
<b>25043</b>	Universal Light Pole Mount Kit for Remote Flow System (RFS™ System A)	<b>\$590.00</b>
<b>32008</b>	Universal Cabinet Slide, Analog Bag Tee (slide mounts to left, right, or under cabinet)	<b>\$656.00</b>
<b>32014</b>	Universal Cabinet Slide, Analog RFS™ System (slide mounts to left, right, or under cabinet)	<b>\$654.00</b>
<b>36800-CCK</b>	36800 Chair Conversion Kit (Converts cabinet mount package to a chair package. Includes: Oxygen outlet, tubing, proper fittings and decals)	<b>\$1,194.00</b>

To order above Ultra PC™ % Cabinet Mount packages without pre-install kits and flowmeter pre-install kit components, see page 22.

**Flowmeters without Pre-Installation Kits & Pre-Install Kit Components**



**Cabinet Mount Flowmeters (without pre-installation kits)**

<b>36600-NS</b>	<b>Ultra PC™ % Cabinet Mount Flowmeter Pkg. G</b> <i>(includes mounting hardware)</i>	<b>\$5,800.00</b>
<b>36800-NS</b>	<b>Ultra PC™ % Cabinet Mount Flowmeter Pkg. H</b> <i>(includes RFS™ Remote Flow System and mounting hardware)</i>	<b>\$6,296.00</b>
<b>36800-CHAIR-NS</b>	<b>Ultra PC™ % Cabinet Mount Flowmeter Pkg. H CHAIR</b> <i>(includes RFS™ Remote Flow System and mounting hardware)</i>	<b>\$6,590.00</b>



## Accutron™ Ultra PC™ % Flowmeter

Our Accutron™ Ultra PC™ % Flowmeter features single-knob total flow control and nitrous oxide ratio control with 70% maximum. This Flowmeter also includes oxygen fail-safe, oxygen flush, oxygen resuscitation connector, emergency air valve, directional check valve and continuous oxygen and nitrous oxide flow tubes.

Dimensions: 4.25 in x 10.5 in x 8 in (10.8 cm x 26.7 cm x 20.3 cm)  
Weight: 4.5 lbs  
Mixed Gas Outlet Diameter: .875 in Nominal (22mm)  
Oxygen Inlet: Male DISS (CGA 1240)  
Nitrous Oxide Inlet: Male DISS (CGA 1040)  
Nitrous Oxide Mixed Ratio Range: 0 to 70%  
Oxygen Flow Range: 1.0 to 10 LPM  
Nitrous Oxide Flow Range: 0 to 7 LPM  
Inlet Pressure (each gas): 50 to 55 psi  
Resuscitator Connector: Quick Connect (.25 in Imperial)  
Resuscitator Connector Flow: 100 LPM Oxygen





**A**



**Accutron™ Ultra PC™ % Flowmeter**  
**31975**

**D**



**Mobile Stand**  
**32005**  
Height with Flowmeter:  
35.75 in, W x D: 22 in x 22 in

**G**



**16 in Bi-fold Wall Arm**  
**32001**

**B**



**4-Cylinder Portable System**  
**44000**  
Height with Flowmeter:  
36.375 in, W x D: 22 in x 22 in

**E**



**Adjustable Mobile Stand**  
**42005**  
Height with Flowmeter:  
H: 19.5 in to 30 in  
W x D: 22 in x 22 in

**H**



**Telescoping Wall Arm**  
**32003**  
(Extends 12 in to 17 in)

**C**



**Accutron™ ClearView™ Scavenging Circuit II (Standard)**  
**43003**  
Includes a complimentary sampling of single-use nasal masks.

**F**



**9 in Wall Arm**  
**32002**

**I**



**Universal Cabinet Slide, Ultra PC™ % Flowmeters & Ultra DC™ Flowmeters**  
**32004**

**Flowmeter Only**

<b>31975</b>	<b>Accutron™ Ultra PC™ % Flowmeter</b> Includes <b>A</b>	<b>\$3,562.00</b>
--------------	---	-------------------

**Portable Systems**

<b>36100</b>	<b>TOP SELLER</b> <b>Accutron™ Ultra PC™ % Flowmeter Package B</b> Accutron™ Ultra PC™ % Flowmeter, 4-Cylinder Portable System, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A B C</b>	<b>\$7,628.00</b>
--------------	---	-------------------

**Central Systems**





<b>36200</b>	<b>Accutron™ Ultra PC™ % Flowmeter Package C</b> Accutron™ Ultra PC™ % Flowmeter, Mobile Stand, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C D</b>	<b>\$6,406.00</b>
<b>36200-ADJS</b>	<b>Accutron™ Ultra PC™ % Flowmeter Package C ADJS</b> Accutron™ Ultra PC™ % Flowmeter, Adjustable Mobile Stand – Short, Accutron™ ClearView™ Scavenger Circuit II Includes <b>A C E</b>	<b>\$4,956.00</b>
<b>36300</b>	<b>Accutron™ Ultra PC™ % Flowmeter Package D</b> Accutron™ Ultra PC™ % Flowmeter, 9-inch Wall Arm & Mounting, Adapter 24552, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C F</b>	<b>\$4,956.00</b>

<b>36400</b>	<b>Accutron™ Ultra PC™ % Flowmeter Package E</b> Accutron™ Ultra PC™ % Flowmeter, 16-inch Bi-fold Wall Arm & Mounting Adapter 24552, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C G</b>	<b>\$4,956.00</b>
<b>36500</b>	<b>Accutron™ Ultra PC™ % Flowmeter Package F</b> Accutron™ Ultra PC™ % Flowmeter, Telescoping Wall Arm & Mounting Adapter 24552, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C H</b>	<b>\$4,956.00</b>
<b>36500-US</b>	<b>TOP SELLER</b> <b>Accutron™ Ultra PC™ % Flowmeter Package U</b> Accutron™ Ultra PC™ % Flowmeter, Universal Cabinet Slide, PC /DC (slide mounts to left, right, or under cabinet), and Mounting Adapter 24552, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C I</b>	<b>\$4,956.00</b>

Order quick connect hoses for Packages C - U separately.



### Accutron™ Ultra PC™ % Cabinet Mount, 36800-CHAIR Template



#### 1) In advance of construction:

- a) Provide for tubing chase from flowmeter location to chair J-Box.
- b) Install Vacuum, Oxygen, and Nitrous Oxide risers.

#### 2) Installation:


- a) Ensure cut-out for the flowmeter is located correctly.
- b) Mount Ultra PC™ Flowmeter through cutout, install wing nuts, and connect hoses to risers.
- c) Pull the Mixed Gas and Vacuum lines up to the Remote Flow System mounting location on the chair.
- d) Install Remote Flow System to chair. (Requires purchase of brand-specific Chairmount Kit).
- e) Complete connections of all hoses.



### Accutron™ Ultra PC™ % Cabinet Mount Flowmeter Diagram




Diagram is specific to 36800 Ultra PC™ % Cabinet Mount Flowmeter with RFS™ Vacuum Controller.



### Accutron™ Ultra PC™ % Cabinet Mount Flowmeter Template

- Vertical dimension of cut is 4 1/2" MAX
- Horizontal dimension of cut is 6 1/4" MAX
- Minimum depth is 4 1/2" with hoses attached

Options for vacuum system controllers include:  
Standard Bag Tee and RFS™ Remote Flow System.



All templates are not to scale.



## Accutron™ Ultra DC™ Flowmeter

Our Accutron™ Ultra DC™ Flowmeter features independent oxygen and nitrous oxide controls along with oxygen control with on/off switch, oxygen fail-safe, oxygen flush, oxygen resuscitation connector. This product also includes an emergency air valve, directional check valve and DISS inlet fittings.

Dimensions: 4.25 in x 10.5 in x 8 in (10.8 cm x 26.7 cm x 20.3 cm)

Weight: 4.5 lbs (00 kg)

Mixed Gas Outlet Diameter: .875 in Nominal (22mm)

Oxygen Inlet: Male DISS (CGA 1240)

Nitrous Oxide Inlet: Male DISS (CGA 1040)

Oxygen Flow Range: 3 to 10 LPM

Nitrous Oxide Flow Range: 0 to 7 LPM

Inlet Pressure (each gas): 50 to 55 psi

Resuscitator Connector: Quick Connect (.25 in Imperial)

Resuscitator Connector Flow: 100 LPM Oxygen





**A**



**Accutron™ Ultra DC™ Flowmeter**  
**31980**

**D**



**Mobile Stand**  
**32005**  
Height with Flowmeter:  
35.75 in, W x D: 22 in x 22 in

**G**



**16 in Bi-fold Wall Arm**  
**32001**

**B**



**4-Cylinder Portable System**  
Height with Flowmeter:  
36.375 in, W x D: 22 in x 22 in

**E**



**Adjustable Mobile Stand**  
**42005**  
Height with Flowmeter:  
H: 19.5 in to 30 in  
W x D: 22 in x 22 in

**H**



**Telescoping Wall Arm**  
**32003**  
(Extends 12 in to 17 in)

**C**



**Accutron™ ClearView™ Scavenging Circuit II (Standard)**  
**43003**  
Includes a complimentary sampling of single-use nasal masks.

**F**



**9 in Wall Arm**  
**32002**

**I**



**Universal Cabinet Slide, Ultra PC™ % Flowmeters & Ultra DC™ Flowmeters**  
**32004**

**Flowmeter Only**

<b>31980</b>	<b>Accutron™ Ultra DC™ % Flowmeter</b> Includes <b>A</b>	<b>\$2,612.00</b>
--------------	---	-------------------

**Portable Systems**

<b>46100</b>	<b>Accutron™ Ultra DC™ % Flowmeter Package B</b> Accutron™ Ultra DC™ % Flowmeter, 4-Cylinder Portable System, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A B C</b>	<b>\$6,830.00</b>
--------------	--	-------------------

**Central Systems**

<b>46200</b>	<b>Accutron™ Ultra DC™ Flowmeter Package C</b> Accutron™ Ultra DC™ Flowmeter, Mobile Stand, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C D</b>	<b>\$3,990.00</b>
--------------	--	-------------------

<b>46200-ADJS</b>	<b>Accutron™ Ultra DC™ Flowmeter Package C ADJS</b> Accutron™ Ultra DC™ Flowmeter, Adjustable Mobile Stand – Short, Accutron™ ClearView™ Scavenger Circuit II Includes <b>A C E</b>	<b>\$3,990.00</b>
-------------------	---	-------------------

<b>46300</b>	<b>Accutron™ Ultra DC™ Flowmeter Package D</b> Accutron™ Ultra DC™ Flowmeter, 9-inch Wall Arm & Mounting, Adapter 24552, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C F</b>	<b>\$3,990.00</b>
--------------	---	-------------------

<b>46400</b>	<b>Accutron™ Ultra DC™ Flowmeter Package E</b> Accutron™ Ultra DC™ Flowmeter, 16-inch Bi-fold Wall Arm & Mounting Adapter 24552, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C G</b>	<b>\$3,990.00</b>
--------------	---	-------------------

<b>46500</b>	<b>Accutron™ Ultra DC™ Flowmeter Package F</b> Accutron™ Ultra DC™ Flowmeter, Telescoping Wall Arm & Mounting Adapter 24552, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C H</b>	<b>\$3,990.00</b>
--------------	---	-------------------

<b>46500-US</b>	<b>Accutron™ Ultra DC™ Flowmeter Package U</b> Accutron™ Ultra DC™ Flowmeter, Universal Cabinet Slide, DC/DC (slide mounts to left, right, or under cabinet), and Mounting Adapter 24552, Accutron™ ClearView™ Scavenging Circuit II Includes <b>A C I</b>	<b>\$3,990.00</b>
-----------------	--	-------------------

Order quick connect hoses for Packages C - U separately.



# Oral Surgery Flowmeters & Accessories

We provide a wide range of Flowmeter and Flowmeter Accessories for Oral Surgery including Digital Ultra™ Flowmeters, Ultra PC™ % Flowmeters and Ultra DC™ Flowmeters.

## Oral Surgery Flowmeter Systems



**A** Digital Ultra™ Flowmeter



**D** Accutron™ ClearView™ Scavenging Circuit II (Standard)  
**43003**

*Includes a complimentary sampling of single-use nasal masks.*



**G** 9 in Wall Arm  
**32002**



**B** Digital Ultra™ Flushmount Flowmeter



**E** 4-Cylinder Portable System  
**54000**



**H** 16 in Wall Arm  
**32001**



**C** Adult full facemask, Hanks elbow with pop-off, directional Y valve and corrugated tube  
**47000**



**F** Mobile Stand  
**32005**  
*Height with Flowmeter: 35.75 in*  
*W x D: 22 in x 22 in*



**I** Telescoping Wall Arm  
**32003**  
*(Extends 12 in to 17 in)*

## Portable Packages

<b>56100-OS</b>	<b>Digital Ultra™ Oral Surgery Flowmeter Pkg. B, 4-Cylinder Portable</b> <i>(includes portable manifold) Height with Flowmeter: 36.375 in (92.4 cm) W x D: 22 in x 22 in (55.9 cm x 55.9 cm)</i> <i>Includes <b>A C D E</b></i>	<b>\$10,444.00</b>
-----------------	---	--------------------

## Central Packages

<b>56200-OS</b>	<b>Digital Ultra™ Oral Surgery Flowmeter Pkg. C, Mobile Stand</b> <i>Includes <b>A C D F</b></i>	<b>\$7,262.00</b>	<b>56500-OS</b>	<b>Digital Ultra™ Oral Surgery Flowmeter Pkg. F, Telescoping Wall Arm</b> <i>Includes <b>A C D I</b></i>	<b>\$7,262.00</b>
<b>56200-OS-ADJT</b>	<b>Digital Ultra™ Oral Surgery Flowmeter Pkg. C, Adjustable Stand</b> <i>Includes <b>A C D</b></i>	<b>\$7,262.00</b>	<b>56600-OS</b>	<b>TOP SELLER</b> <b>Digital Ultra™ Oral Surgery Flowmeter Pkg. G, Flushmount</b> <i>Includes <b>B C D</b></i>	<b>\$8,538.00</b>
<b>56300-OS</b>	<b>Digital Ultra™ Oral Surgery Flowmeter Pkg. D, 9 in. Wall Arm</b> <i>Includes <b>A C D G</b></i>	<b>\$7,262.00</b>	<b>56800-OS</b>	<b>Digital Ultra™ Oral Surgery Flowmeter Pkg. H, Flushmount with RFS™ Remote Flow</b> <i>Includes <b>B C D</b></i>	<b>\$8,684.00</b>
<b>56400-OS</b>	<b>Digital Ultra™ Oral Surgery Flowmeter Pkg. E, 16 in. Bi-fold Wall Arm</b> <i>Includes <b>A C D H</b></i>	<b>\$7,262.00</b>			

## Ultra PC™ % Oral Surgery Flowmeter Packages



**A** Ultra PC™ % Flowmeter  
**31975-OS**



**D** Accutron™ ClearView™  
Scavenging Circuit II  
(Standard)  
**43003**  
*Includes a complimentary  
sampling of single-use  
nasal masks.*



**G** 9 in Wall Arm  
**32002**



**B** Ultra PC™ % Cabinet Mount  
Flowmeter



**E** 4-Cylinder Portable System  
**44000**



**H** 16 in Bi-fold Wall Arm  
**32001**



**C** Adult full facemask,  
Hanks elbow with pop-off,  
directional Y valve and  
corrugated tube  
**47000**



**F** Mobile Stand  
**32005**  
*Height with Flowmeter:  
35.75 in, W x D: 22 in x 22 in*



**I** Telescoping Wall Arm  
**32003**  
*(Extends 12 in to 17 in)*

## Portable Packages

**36100-OS** Ultra PC™ % Oral Surgery Flowmeter **\$9,394.00**  
**Pkg. B**  
4-Cylinder Portable  
(includes portable manifold)  
Height with Flowmeter: 36.375 in (92.4 cm)  
W x D: 22 in x 22 in (55.9 cm x 55.9 cm)  
*Includes **A C D E***

## Central Packages

**36200-OS** Ultra PC™ % Oral Surgery Flowmeter **\$6,406.00**  
**Pkg. C**  
Mobile Stand  
Height with Flowmeter: 36.375 in (92.4 cm)  
W x D: 22 in x 22 in (55.9 cm x 55.9 cm)  
*Includes **A C D F***

**36200-OS-ADJT** Ultra PC™ % Oral Surgery Flowmeter **\$6,406.00**  
**Pkg. C-ADJS**  
Includes Adjustable Mobile Stand – Tall  
Height with Flowmeter:  
39.375 in to 50.375 in (100 cm to 128 cm)  
W x D: 22 in x 22 in (55.9 cm x 55.9 cm)  
*Includes **A C D***

**36300-OS** Ultra PC™ % Oral Surgery Flowmeter **\$6,406.00**  
**Pkg. D**  
9 in Wall Arm  
*Includes **A C D G***

**36400-OS** **TOP SELLER** Ultra PC™ % Oral Surgery Flowmeter **\$6,406.00**  
**Pkg. E**  
16 in Bi-fold Wall Arm  
*Includes **A C D H***

**36500-OS** Ultra PC™ % Oral Surgery Flowmeter **\$6,406.00**  
**Pkg. F**  
Telescoping Wall Arm  
*Includes **A C D I***

**36600-OS** Ultra PC™ % Oral Surgery Flowmeter **\$7,554.00**  
**Pkg. G**  
Cabinet Mount  
*Includes **B C D***



## Ultra DC™ Oral Surgery Flowmeter Packages



**A** Ultra DC™ Flowmeter  
**31980-OS**



**D** 4-Cylinder Portable System



**G** 16 in Bi-fold Wall Arm  
**32001**



**B** Adult full facemask,  
Hanks elbow with pop-off,  
directional Y valve and  
corrugated tube  
**47000**



**E** Mobile Stand  
**32005**  
Height with Flowmeter:  
35.75 in, W x D: 22 in x 22 in



**H** Telescoping Wall Arm  
**32003**  
(Extends 12 in to 17 in)



**C** Accutron™ ClearView™  
Scavenging Circuit II  
(Standard)  
**43003**  
*Includes a complimentary  
sampling of single-use  
nasal masks.*



**F** 9 in Wall Arm  
**32002**

### Portable Packages

<b>46100-OS</b>	<b>Ultra DC™ Oral Surgery Flowmeter Pkg. B</b> 4-Cylinder Portable (includes portable manifold) Height with Flowmeter: 39.375 in (100 cm) W x D: 22 in x 22 in (55.9 cm x 55.9 cm) <i>Includes A B C D</i>	<b>\$8,304.00</b>
-----------------	---	-------------------

### Central Packages

<b>46200-OS</b>	<b>Ultra DC™ Oral Surgery Flowmeter Pkg. C</b> Mobile Stand Height with Flowmeter: 39.375 in (100 cm) W x D: 22 in x 22 in (55.9 cm x 55.9 cm) <i>Includes A B C E</i>	<b>\$5,448.00</b>
-----------------	--	-------------------

<b>46200-OS-ADJT</b>	<b>Ultra DC™ Oral Surgery Flowmeter Pkg. C-ADJS</b> Adjustable Mobile Stand – Tall Height with Flowmeter: 39.375 in to 50.375 in (100 cm to 128 cm) W x D: 22 in x 22 in (55.9 cm x 55.9 cm) <i>Includes A B C</i>	<b>\$5,448.00</b>
----------------------	---	-------------------



<b>46300-OS</b>	<b>Ultra DC™ Oral Surgery Flowmeter Pkg. D</b> 9 in Wall Arm <i>Includes A B C F</i>	<b>\$5,448.00</b>
-----------------	--	-------------------

<b>46400-OS</b>	<b>Ultra DC™ Oral Surgery Flowmeter Pkg. E</b> 16 in Bi-fold Wall Arm <i>Includes A B C G</i>	<b>\$5,448.00</b>
-----------------	---	-------------------

<b>46500-OS</b>	<b>Ultra DC™ Oral Surgery Flowmeter Pkg. F</b> Telescoping Wall Arm <i>Includes A B C H</i>	<b>\$5,448.00</b>
-----------------	---	-------------------




### Oral Surgery Accessories

	<b>47000</b> <b>Oral Surgery Accessories Package</b>	<b>\$1,400.00</b>		<b>33029-10</b> <b>Pediatric Cannula with 7 ft Tubing</b> (pkg. of 10)	<b>\$116.00</b>
	<b>23854-FRU</b> <b>Universal Female Adapter</b> (22 mm male x 15 mm female)	<b>\$30.00</b>		<b>33030-10</b> <b>Adult Cannula with 7 ft Tubing</b> (pkg. of 10)	<b>\$116.00</b>
	<b>47050</b> <b>Directional Y Valve</b>	<b>\$870.00</b>		<b>38008</b> <b>Full Facemask – Adult</b>	<b>\$106.00</b>
	<b>47075</b> <b>Hanks Elbow with Pop-off</b>	<b>\$392.00</b>		<b>38009</b> <b>Full Facemask – Child</b>	<b>\$106.00</b>
	<b>33014</b> <b>Corrugated Tube – 3 ft</b>	<b>\$64.00</b>		<b>32005-AT</b> <b>Adjustable Mobile Stand - Tall</b> H: 28.25 in to 40 in (71.6 cm to 101.6 cm) W x D: 22 in x 22 in (55.9 cm x 55.9 cm)	<b>\$634.00</b>
	<b>22137-FRU</b> <b>Corrugated Tube – 6 ft</b>	<b>\$92.00</b>			

### Oral Surgery Suction Accessories

	<b>34014</b> <b>Surgical E-Vac Kit</b> Includes: Vacuum Regulator, Five 1500 ml single-use canisters, wall mount plate and mounting hardware (vacuum outlet 34011 sold separately)	<b>\$1,500.00</b>		<b>26988</b> <b>Vacuum Regulator</b>	<b>\$680.00</b>
	<b>34016</b> <b>Replacement Canisters for Surgical E-Vac Kit</b> Includes: Five 1500 ml single-use canisters	<b>\$128.00</b>		<b>34017</b> <b>Vacuum Regulator Mounting Bracket (for 26988)</b> Regulator not included. Order 26988 separately.	<b>\$128.00</b>
	<b>26986</b> <b>6 ft Tubing – .375 in ID, Clear PVC</b>	<b>\$56.00</b>		<b>26989</b> <b>Vacuum Slide</b>	<b>\$100.00</b>
	<b>26987</b> <b>Canister Holder</b>	<b>\$68.00</b>		<b>34011</b> <b>Recessed Q/C Vacuum Outlet</b> Requires use of Vacuum Male Connector 33972	<b>\$512.00</b>

<b>Vacuum Controllers</b>	<b>32</b>
<b>RFS™ Remote Flow System Chairmount Kits</b>	<b>33</b>
RFS™ Remote Flow System Chairmount Kits for Chair Brands	34
Clear Your Work Zone with a Chair Remote Flow System	37
<b>Universal Cabinet Slide Mounts</b>	<b>38</b>
<b>Flowmeter Mounts &amp; Stands</b>	<b>39</b>



## **Vacuum Controllers & Mounts**

Vacuum Controllers & Mounts replace the conventional bag tee and vacuum control valves that are part of the scavenging circuit. They can be installed remotely, and have different mounting options.



# Vacuum Controllers

36855



**RFS™ Remote Flow System – Analog**  
(for use with Ultra PC™ % Cabinet Mount Flowmeters, and Digital Ultra™ Flushmount Flowmeters with RFS™ Chairmount Kits)

**\$1,242.00**

56855



**TOP SELLER**

**RFS™ Remote Flow System – Digital**  
(for use with Digital Ultra™ Flushmount without RFS™ Chairmount Kits)

**\$1,244.00**

56955



**Accu-Vac™ Vacuum Controller**  
(for use with Digital Ultra™ Flushmount Flowmeter)

**\$2,128.00**

36855-CHAIR

**36855-CHAIR Remote Flow System (RFS) Chairmount**

**\$1,278.00**



## RFS™ Remote Flow System Chairmount Kits

Our RFS™ Remote Flow System Chairmount Kits eliminate long mixed gas and vacuum hoses draping from adjacent cabinets, providing easier access for the doctor. They create uncluttered, safer work zone for doctor and staff and minimize displacement of patient mask caused by drag/pull and weight of long hoses.

RFS™ Remote Flow System Chairmount Kits store scavenging circuit and rubber goods when not in use. A wide variety of kits are available for compatibility with various chairs and mounts to patient chairs without drilling new holes and can be installed in the field whether retrofitted where possible or new construction.





## RFS™ Remote Flow System Chairmount Kits for Chair Brands



### A-dec

<b>31005-1</b>	A-dec Cascade (1040) RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31005-2</b>	A-dec Decade (1021) & Decade + (1221) RFS™ Chairmount	<b>\$414.00</b>
<b>31005-3</b>	<b>TOP SELLER</b> A-dec 511 RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31005-4</b>	A-dec 311 RFS™ Chairmount Kit (old style)	<b>\$414.00</b>
<b>31005-4A</b>	A-dec 300 series Chairmount Kit (new style)	<b>\$414.00</b>
<b>31005-5</b>	<b>TOP SELLER</b> A-dec 400 Series RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31005-6</b>	A-dec Performer 8000 RFS™ Chairmount Kit	<b>\$414.00</b>



### Boyd

<b>31014-1</b>	Boyd Oral Surgery S2600 Series RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	--	-----------------

### Brumaba

<b>31016-1</b>	Brumaba Oral Surgery OMS Series RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	---	-----------------



### Belmont

<b>31006-4</b>	Belmont Pro II, Chairmount Kit	<b>\$414.00</b>
<b>31006-1</b>	Belmont X-Calibur B20 RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31006-2</b>	Belmont X-Calibur V B50 RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31006-3</b>	Belmont Quolis and Evogue Q3300 RFS™ Chairmount Kit	<b>\$414.00</b>



### DCI

<b>31013-1</b>	<b>TOP SELLER</b> DCI Series 5 RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	---	-----------------

### Dansereau

<b>31019-1</b>	Dansereau Chairmount Kit	<b>\$414.00</b>
----------------	--------------------------	-----------------



### DentalEZ

<b>31009-1</b>	DentalEZ Simplicity RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31009-2</b>	DentalEZ NuSimplicity RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31009-3</b>	DentalEZ J/V Generation RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31009-4</b>	DentalEZ Core RFS™ Chairmount Kit	<b>\$414.00</b>



### Forest

<b>31001-1M</b>	Forest 3900 (no extras, metric thread) RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31001-1S</b>	Forest 3900 (no extras, standard thread), RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31001-2M</b>	Forest 3900 (touch pad, metric thread) RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31001-2S</b>	Forest 3900 (touch pad, standard thread) RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31001-3</b>	Forest 3900 (assist pkg.) RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31001-4</b>	Forest 3900 (touch pad & assist. Pkg.) RFS™ Chairmount Kit	<b>\$414.00</b>

### Dexta

<b>31018-1</b>	Dexta Oral Surgery (20X-1, 20X-3, 25X, 9S, 52X02, 52X-3) RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	--	-----------------



### Engle

<b>31008-1</b>	Engle 300 RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	-------------------------------	-----------------

### Marus

<b>31004-1</b>	Marus MaxStar (no extras) RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31004-3</b>	Marus NuStar (no extras) RFS™ Chairmount Kit	<b>\$414.00</b>



### Midmark

<b>31002-1</b>	Midmark Ultra RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31002-2</b>	Midmark Elevance RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31002-3</b>	Midmark 641 Surgery RFS™ Chairmount Kit	<b>\$430.00</b>



### Pelton & Crane

<b>31003-1</b>	Pelton & Crane 1800 Series RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31003-2</b>	Pelton & Crane 3000 Series RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31003-3</b>	Pelton & Crane 1700 RFS™ Chairmount Kit	<b>\$414.00</b>



### Royal

<b>31007-1</b>	Royal Alliant RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31007-2</b>	Royal Signet R16 RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31007-3</b>	Royal PD2/OR2/OR3/GP2 (w/o light) RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31007-4</b>	Royal PD2/OR2/OR3/GP2 (with light) RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31007-5</b>	Royal Domain RFS™ Chairmount Kit	<b>\$414.00</b>
<b>31007-6</b>	Royal OS1 Oral Surgery RFS™ Chairmount Kit	<b>\$414.00</b>

### MTI

<b>31017-1</b>	MTI Oral Surgery 721 RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	--	-----------------

### OSSI

<b>31010-1</b>	OSSI Dino RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	-------------------------------	-----------------

### Sirona

<b>31020-1</b>	Sirona Teneo Chairmount Kit	<b>\$414.00</b>
<b>31020-2</b>	Sirona Intego Chairmount Kit	<b>\$414.00</b>

### Pediatric Bench

<b>31012-1</b>	Pediatric Bench (standard) RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	--	-----------------

### Westar


<b>31015-1</b>	Westar Oral Surgery (OS VIII & OS III) RFS™ Chairmount Kit	<b>\$414.00</b>
----------------	--	-----------------



Clear Your Work Zone with a Chair Remote Flow System


Digital Ultra™ Flushmount Flowmeter Diagram

56800-CHAIR  
56800-CHAIR-NS



Ultra PC™ % Cabinet Mount Flowmeter Diagram

36800-CHAIR  
36800-CHAIR-NS





# Universal Cabinet Slide Mounts

## Accu-Vac™ and RFS™ Mounts (for Digital Ultra™ Flushmount Flowmeter)

**32015** Universal Cabinet Slide, Accu-Vac™ Vacuum Controller **\$654.00**  
(slide mounts to left, right, or under cabinet)  
*Use with 56955 and 56950 flowmeter package*



**32018** **TOP SELLER** Universal Cabinet Slide, Digital RFS™ System **\$654.00**  
(slide mounts to left, right, or under cabinet)  
*Use with 56855 and 56800 flowmeter package*



## RFS™ Remote Flow System A Mounts (for Ultra PC™ % Cabinet Mount Flowmeter)

**25043** Universal Light Pole Mount Kit **\$590.00**  
(not shown)

**32014** Universal Cabinet Slide, Analog RFS™ System **\$654.00**  
(slide mounts to left, right, or under cabinet)  
*Use with 36855 and 36800 flowmeter package*



## Universal Slide Mount (for Ultra PC™ % Flowmeters & Ultra DC™ Flowmeters)

**32004** Universal Cabinet Slide for Ultra™ PC/DC **\$654.00**  
with Mounting Adapter #24552 (slide mounts to left, right, or under cabinet)  
*Use with 31975, 31980 flowmeters*



## Analog Bag Tee Mount (for Ultra PC™ % Cabinet Mount Flowmeter)

**32008** Universal Cabinet Slide, Analog Bag Tee **\$656.00**  
(slide mounts to left, right, or under cabinet)  
*Use with 26679-FRU and 36600 flowmeter package*



## Digital Bag Tee Mount (for Digital Ultra™ Flushmount Flowmeter)

**32019** Universal Cabinet Slide, Digital Bag Tee **\$654.00**  
(slide mounts left, right, or under cabinet)  
*Use with 27187 and 56600 flowmeter package*





# Flowmeter Mounts & Stands

## Flowmeter Mounts & Mounting Adapters

	<b>32001</b> 16 in Bi-fold Wall Arm & Mounting Adapter 24552	<b>\$562.00</b>
	<b>32002</b> 9 in Wall Arm & Mounting Adapter 24552	<b>\$516.00</b>
	<b>32003</b> <b>TOP SELLER</b> Telescoping Wall Arm (extends 12 in to 17 in), and Mounting Adapter 24552	<b>\$546.00</b>
	<b>32004</b> Universal Cabinet Slide for Ultra PC/DC (slide mounts to left, right, or under cabinet), includes Mounting Adapter 24552	<b>\$654.00</b>
	<b>24552</b> Mounting Adapter for Ultra PC™ and Ultra DC™ Flowmeters	<b>\$102.00</b>
	<b>32010</b> Portable and Mobile Stand Adapter – Digital Ultra™ Flowmeters, Ultra PC™ % Flowmeters, and Ultra DC™ Flowmeters to Porter™ Flowmeter	<b>\$100.00</b>


## Mobile Stands & Components

<b>20107-FRU</b>	E Cylinder Wrench	<b>\$36.00</b>
<b>24494</b>	<b>TOP SELLER</b> Replacement E Washers (pkg. of 10)	<b>\$40.00</b>
<b>24549</b>	E Yoke Handle	<b>\$56.00</b>
<b>32010</b>	Portable and Mobile Stand Adapter Accutron™ Digital Ultra™ Flowmeters, Ultra PC™ % Flowmeters and Ultra DC™ Flowmeters to Porter™ Flowmeter	<b>\$100.00</b>

	<b>32005</b> Mobile Stand H: 31.5 in (80 cm) W x D: 22 in x 22 in (55.9 cm x 55.9 cm)	<b>\$546.00</b>
	<b>32021</b> Wall bracket with mounting post for the Ultra PC™ Flowmeters and Ultra DC™ Flowmeters	<b>\$282.00</b>
	<b>32055</b> Surface Mount for Digital Ultra™ Flushmount (flowmeter not included)	<b>\$386.00</b>
	<b>42005</b> Adjustable Mobile Stand – Short H: 19.5 in to 30 in (49.5 cm to 76.2 in) W x D: 22 in x 22 in (55.9 cm x 55.9 cm)	<b>\$654.00</b>
	<b>32011</b> Wall Arm Adapter – Ultra PC and Ultra DC to Matrix™ Wall Arms	<b>\$100.00</b>

	<b>44000</b> <b>TOP SELLER</b> 4-Cylinder Non-Digital Mobile Stand	<b>\$3,840.00</b>
<b>54000</b>	4-Cylinder Digital Stand	<b>\$3,580.00</b>

<b>Accutron™ Digi-Flo™ Digital Automatic Switching Manifold Systems</b>	<b>42</b>
<b>Accutron™ Guardian Monitor™ Manifold/Alarm System</b>	<b>44</b>



## **Manifold Systems**

Our wide variety of Manifold Systems and accessories are designed to safely and economically deliver nitrous oxide and oxygen to dental operatories.



# Accutron™ Digi-Flo™ Digital Automatic Switching Manifold Systems

Our Digital Automatic Manifold/Alarm System features an automatic cylinder changeover. Its alarm includes both audio and visual warnings. Designed to safely and precisely provide uninterrupted gas supply to the dental operator. With easily accessible components, our Digital Automatic Manifold/Alarm System allows for dual alarm panels and up to four zone valves. Includes pre-install mounting bracket allowing for effortless installation.



### Manifold Package Contents:

Manifold with pressure gauges and high/low pressure alarm switches, 4 cylinder regulators (2 O<sub>2</sub> and 2 N<sub>2</sub>O), four 4 ft DISS hoses (2 O<sub>2</sub> and 2 N<sub>2</sub>O), power supply, wall control panel and cylinder restraints.

Dimensions with Cover: 18 in x 9 in x 3 in (45.7 cm x 22.9 cm x 7.6 cm)

Working Pressure: 50 to 55 psi

Hose Length: 4 ft

N2O Outlet: N2O DISS

O2 Outlet: O2 DISS

Primary Voltage: 120 volts

Cable: Category 6, Shielded, Ethernet 4 twisted pr.



**Zone Valve (49550) required at installation as per NFPA 2021.**

• **Order 27497-FRU for the Digi-Flo Manifold without accessories.**



**Download Template and Specifications for Flowmeter and Outlet Installations.**



### Accutron™ Digi-Flo™ Automatic Manifolds with Wall Alarms

<b>49250</b>	<b>TOP SELLER</b> Digi-Flo™ Automatic Switching Manifold/Alarm Pkg. B Wall Alarm Panel (includes pre-install kit)	<b>\$7,514.00</b>	<b>49450</b>	Digi-Flo™ Automatic Switching Manifold/Alarm Pkg. D Wall Alarm Panel & Security System (includes pre-install kit)	<b>\$8,384.00</b>
<b>49250-NP</b>	<b>TOP SELLER</b> Manifold with Wall Alarm Panel Pkg. B (Without pre-install kit)	<b>\$7,224.00</b>	<b>49450-NP</b>	Manifold with Wall Alarm Panel & Security System Pkg. D (without pre-install kit)	<b>\$8,094.00</b>

### Accutron™ Digi-Flo™ Automatic Manifold Zone Valves, Pre-Install Kits and Alarms

<b>27535</b>	Digi-Flo™ Wall Alarm	<b>\$848.00</b>	<b>49054</b>	Digi-Flo™ 2nd Wall Alarm (includes splitter P/ N 27972 for 2nd alarm)	<b>\$974.00</b>
<b>49052</b>	<b>TOP SELLER</b> Pre-installation Kit for Digi-Flo™ Automatic Manifold Pkgs. B & D Contents: Manifold template, manifold Mounting plate assembly with brass risers, 100 ft. cable, outlet box and mounting bracket for wall alarm panel	<b>\$290.00</b>	<b>49054-S</b>	Digi-Flo™ 2nd Wall Alarm with Security System (includes splitter P/ N 27972 for 2nd alarm)	<b>\$1,000.00</b>
<b>49053</b>	Pre-Install Kit for Digi-Flo™ 2nd Wall Alarm	<b>\$158.00</b>	<b>49550</b>	<b>TOP SELLER</b> Digi-Flo™ Zone Valve	<b>\$1,998.00</b>
			<b>49650</b>	Source Valve Kit (includes 2 valves)	<b>\$482.00</b>

### Digi-Flo™ Automatic Manifold Accessories & Adapters

<b>27985-FRU</b>	Digi-Flo™ Optional Conduit Kit	<b>\$346.00</b>	<b>28408-FRU</b>	Belmed Manifold Adapter Kit	<b>\$192.00</b>
<b>28191-FRU</b>	Oxygen Add-on Dual Regulator Kit	<b>\$1,830.00</b>	<b>28401-FRU</b>	Accutron™ (Old Style) Manifold Adapter Kit	<b>\$224.00</b>
<b>27954-FRU</b>	Matrx™ Manifold Adapter Kit	<b>\$186.00</b>	<b>49400</b>	Zone Valve Adapter Box – Converts Normally Open (NO) switches on Zone Valves to Digi-Flo™ Manifold <i>Use with Accutron Guardian™ Zone Valve</i>	<b>\$936.00</b>
<b>28406-FRU</b>	Porter™ Manifold Adapter Kit	<b>\$224.00</b>	<b>49400-NC</b>	Zone Valve Adapter Box – Converts Normally Closed (NC) switches on Zone Valves to Digi-Flo™ Manifold	<b>\$840.00</b>
<b>28389-FRU</b>	Digi-Flo N <sub>2</sub> O and O <sub>2</sub> Brazed Risers	<b>\$184.00</b>			



# Accutron™ Guardian Monitor™ Manifold/Alarm System

Our Guardian Monitor™ Manifold and Alarm System includes a manual cylinder changeover and pressure relief valve. Alarm features audio and visual warnings. This Manifold System accommodates G and H cylinders. Zone valve package is available.



**Manifold Package 38002, 38002-NP, 38003, 38003-NP, 38004, 38004-NP, 38005, and 38005-NP contain:**  
Manifold with pressure gauges and high/low pressure alarm switches, 3 or 4 cylinder regulators (2 O<sub>2</sub> and 1 or 2 N<sub>2</sub>O), three or four 4 ft DISS hoses (2 O<sub>2</sub> and 1 or 2 N<sub>2</sub>O), power supply, wall or desk office control panel and cylinder restraints.

## Accutron™ Guardian Monitor™ Manifold for Wall Alarms

<b>38002</b>	<b>TOP SELLER</b> Guardian Monitor™ Conventional Manifold/Wall Alarm System A 2 O <sub>2</sub> + 2 N <sub>2</sub> O (includes pre-install kit)	<b>\$5,574.00</b>	<b>38004-NP</b>	Guardian Monitor™ Conventional Manifold/Wall Alarm System C 2 O <sub>2</sub> + 1 N <sub>2</sub> O (without pre-install kit)	<b>\$4,834.00</b>
<b>38002-NP</b>	<b>TOP SELLER</b> Guardian Monitor™ Conventional Manifold/Wall Alarm System A 2 O <sub>2</sub> + 2 N <sub>2</sub> O (without pre-install kit)	<b>\$5,392.00</b>	<b>39550</b>	Guardian Monitor™ Zone Valve (for Guardian Monitor™ Conventional Manifold)	<b>\$1,828.00</b>
<b>38004</b>	Guardian Monitor™ Conventional Manifold/Wall Alarm System C 2 O <sub>2</sub> + 1 N <sub>2</sub> O (includes pre-install kit)	<b>\$5,016.00</b>	<b>49650</b>	Source Valve Kit (includes 2 valves)	<b>\$482.00</b>



## Accutron™ Guardian Monitor™ Manifold with Desk Alarms

<b>38003</b>	Guardian Monitor™ Conventional Manifold/Desk Alarm System B O <sub>2</sub> + 2 N <sub>2</sub> O (includes pre-install kit)	<b>\$5,574.00</b>	<b>38005</b>	Guardian Monitor™ Conventional Manifold/Desk Alarm System D 2 O <sub>2</sub> + 1 N <sub>2</sub> O (includes pre-install kit)	<b>\$5,016.00</b>
<b>38003-NP</b>	Guardian Monitor™ Conventional Manifold/Desk Alarm System B O <sub>2</sub> + 2 N <sub>2</sub> O (without pre-install kit)	<b>\$5,392.00</b>	<b>38005-NP</b>	Guardian Monitor™ Conventional Manifold/Desk Alarm System D 2 O <sub>2</sub> + 1 N <sub>2</sub> O (without pre-install kit)	<b>\$4,834.00</b>

## Manifold Accessories & Components


<b>26053-FRU</b>	Zone Valve Box Trim/Frame Assembly (for Zone Valve #49550)	<b>\$368.00</b>	<b>34062</b>	 Nitrous Oxide Hose (DISS 3 feet)	<b>\$164.00</b>
<b>23126</b>	 Gas Identification Labels (6 O <sub>2</sub> and 6 N <sub>2</sub> O)	<b>\$48.00</b>	<b>48075</b>	 Nitrogen Regulator	<b>\$592.00</b>
<b>23148</b>	 100 ft. CAT6 Black Cable and Connector	<b>\$142.00</b>	<b>48078</b>	 Nitrogen Hose DISS (DISS 3 feet)	<b>\$178.00</b>
<b>27224-FRU</b>	Cylinder Room Caution Sticker	<b>\$12.00</b>	<b>34075</b>	 Cylinder Restraints (accommodates 4 cylinders)	<b>\$304.00</b>
<b>27319</b>	 Purge Fitting Set	<b>\$108.00</b>	<b>48025</b>	Cylinder Restraints (accommodates 2 cylinders)	<b>\$184.00</b>
<b>34057</b>	 Oxygen Regulator	<b>\$536.00</b>	<b>25340</b>	Guardian Power Supply	<b>\$48.00</b>
<b>34061</b>	 Oxygen Hose (DISS 3 feet)	<b>\$164.00</b>	<b>22749-FRU</b>	Guardian & Guardian II Power Supply	<b>\$48.00</b>
<b>34058</b>	 Nitrous Oxide Regulator	<b>\$536.00</b>	<b>38052</b>	 Pre-installation Kit for Guardian™ Manifold Packages A & C Wall Alarm Includes manifold template, manifold mounting plate assembly with brass risers, 100 ft. cable, outlet box and mounting bracket for wall alarm panel	<b>\$182.00</b>


## Nitrogen and Oxygen Manifolds

<b>48000</b>	Nitrogen Manifold System Includes: Manifold, Regulator, 3' Hose, Tank Restraints	<b>\$3,682.00</b>	<b>49000</b>	Oxygen Manifold System Includes: Manifold, Regulator, 3' Hose, Tank Restraints	<b>\$3,682.00</b>
<b>48020</b>	Nitrogen Manifold Manifold only	<b>\$1,200.00</b>	<b>49020</b>	Oxygen Manifold Manifold only	<b>\$1,200.00</b>

**Central Schematic Diagram**

Mains and branches in piping systems shall be not less than 1/2" nominal size.





**Medical Gas systems must be installed by a licensed medical gas installer (i.e. ASSE 6010) and be verified by a licensed medical gas verifier (i.e. ASSE 6030) and must be installed in compliance with NFPA 99 requirements.**

**Cylinder Storage Room Requirements:**

No more than 3000 cubic feet of gas connected and in storage at one time (excluding nitrogen). Cylinders should be stored in a locked room or cabinet.

- A separate regulator for each gas cylinder
- A pressure relief valve set at 75 psi
- A check valve down stream of each regulator
- System line pressure set at 50 psi
- When the supply system is remote, the switchover shall be automatic

Flexible tubing must not go through wall(s) or partition(s) and have a minimum burst pressure of 1000 psi. When nonflammable gas supply (N<sub>2</sub>O-O<sub>2</sub>) cylinders are located inside building, they should be in a separate room or enclosure, and separated from the rest of the building by not less than one-hour fire-resistant construction. Two vents of not less than 72 square inches in area should be included. One vent within 6 inches of the floor and one vent within 6 inches of the ceiling.

Exception: When an exterior wall cannot be provided see code for requirements. Openings between room or enclosure and interior shall be self-closing smoke and draft control, having a fire protection rating of not less than one hour.

**General Piping Requirements:**

Tubes, valves, fittings, outlet stations and other piping components in medical gas systems shall have been cleaned for oxygen service prior to installation. Piping shall be hard-drawn seamless medical gas tube, type K or L (ASTM B819), and bear one of the following markings: OXY, MED, OXY/MED, ACR/OXY or ACR/MED. Piping for non-flammable medical gas systems shall be suitable for oxygen service. Each length of tube shall be permanently labeled and delivered plugged and capped. Fittings, valves and other devices shall be sealed and marked. The installer shall furnish documentation certifying that all installed piping materials comply with the requirements and that the plumber has the appropriate medical gas license.

**Testing Requirements:**


Piping Integrity and System Verification Final Testing include:

- Initial Pressure Test
- Blow Down
- Piping Purge
- Static Pressure Test
- Pressure Relief Test
- Cross Connection Test
- Alarm Testing for Gas System

Refer to NFPA 99. The responsible facility authority will review all inspection and testing prior to the use of all systems covered by this requirement.

Note: At the time of this printing, NFPA 2005, 2012, 2015, and 2018 are in use in North America. It is important to consult with your local municipality to confirm which codes(s) they have currently adapted.

<b>Hoses &amp; Connectors</b>	<b>50</b>
<b>Recessed, Surface &amp; Micro Outlet Stations</b>	<b>54</b>



## **Hoses, Connectors & Outlet Stations**

We offer a complete line of quick-connect hoses and connectors that are compatible with a wide variety of outlet stations. Our many options of Outlet Stations are available for Central Systems - connecting your flowmeter in each operatory to your gas supply in another area of your office.



# Hoses & Connectors

We carry a complete line of quick-connect hoses and connectors that are compatible with a wide variety of outlet stations.

## Hose Ends



Accutron™ E-Z  
Q/C



Schrader  
In-Line Q/C



Oxyquip  
Q/C



or

DISS  
Hand-Tight



Chemtron Q/C



Schrader  
wFlush Q/C



Puritan Bennett  
Q/C




DISS 90°



Matrix/Ohio  
Q/C



DISS



**33968**

**Accutron™ EZ QC Hose Set**

<b>33968-2</b>	2 ft.	<b>\$322.00</b>
<b>33968-3</b>	3 ft.	<b>\$324.00</b>
<b>33968-4</b>	4 ft.	<b>\$326.00</b>
<b>33968-5</b>	5 ft.	<b>\$328.00</b>
<b>33968-6</b>	6 ft.	<b>\$330.00</b>
<b>33968-8</b>	8 ft.	<b>\$332.00</b>
<b>33968-10</b>	10 ft.	<b>\$334.00</b>

**O<sub>2</sub> MQC x DISS Hose**

<b>33969</b>	3 ft.	<b>\$324.00</b>
<b>33969-5</b>	5 ft.	<b>\$326.00</b>
<b>33969-6</b>	6 ft.	<b>\$328.00</b>
<b>33969-10</b>	10 ft.	<b>\$330.00</b>



**34061-90HT**

**O<sub>2</sub> DISS Hand Tight x DISS 90 Deg Hose**

<b>34061-90HT-3</b>	3 ft.	<b>\$210.00</b>
<b>34061-90HT-5</b>	5 ft.	<b>\$212.00</b>
<b>34061-90HT-6</b>	6 ft.	<b>\$214.00</b>
<b>34061-90HT-8</b>	8 ft.	<b>\$216.00</b>
<b>34061-90HT-10</b>	10 ft.	<b>\$218.00</b>



**33968-90**

**Accutron™ 90 Deg EZ QC Hose Set**

<b>33968-90-3</b>	3 ft.	<b>\$346.00</b>
<b>33968-90-4</b>	4 ft.	<b>\$348.00</b>
<b>33968-90-5</b>	5 ft.	<b>\$350.00</b>
<b>33968-90-6</b>	6 ft.	<b>\$352.00</b>
<b>33968-90-8</b>	8 ft.	<b>\$354.00</b>
<b>33968-90-10</b>	10 ft.	<b>\$356.00</b>



**34061**

**O<sub>2</sub> Hose Assembly**

<b>34061</b>	3 ft.	<b>\$164.00</b>
<b>34061-5</b>	5 ft.	<b>\$166.00</b>
<b>34061-6</b>	6 ft.	<b>\$168.00</b>
<b>34061-8</b>	8 ft.	<b>\$170.00</b>
<b>34061-9</b>	9 ft.	<b>\$172.00</b>
<b>34061-10</b>	10 ft.	<b>\$174.00</b>



**34061-HT**

**O<sub>2</sub> DISS x DISS Hand Tight Hose**

<b>34061-HT-3</b>	3 ft.	<b>\$190.00</b>
<b>34061-HT-5</b>	5 ft.	<b>\$192.00</b>
<b>34061-HT-6</b>	6 ft.	<b>\$194.00</b>
<b>34061-HT-8</b>	8 ft.	<b>\$196.00</b>
<b>34061-HT-10</b>	10 ft.	<b>\$198.00</b>



**34061-90**

**O<sub>2</sub> DISS x DISS 90 Deg Hose**

<b>34061-90-3</b>	3 ft.	<b>\$182.00</b>
<b>34061-90-5</b>	5 ft.	<b>\$184.00</b>
<b>34061-90-6</b>	6 ft.	<b>\$186.00</b>
<b>34061-90-8</b>	8 ft.	<b>\$188.00</b>
<b>34061-90-10</b>	10 ft.	<b>\$190.00</b>

**Accutron Connectors**

<b>33972</b>	Accutron™ Vacuum Male Connector	<b>\$182.00</b>
<b>33973</b>	Scavenger Control, Outlet Mount	<b>\$418.00</b>



34062

**N<sub>2</sub>O Hose Assembly**

34062	3 ft.	\$164.00
34062-5	5 ft.	\$166.00
34062-6	6 ft.	\$168.00
34062-8	8 ft.	\$170.00
34062-9	9 ft.	\$172.00
34062-10	10 ft.	\$174.00



34070

**PB O<sub>2</sub> Q/C Hose**

34070	3 ft.	\$164.00
34070-5	5 ft.	\$166.00
34070-6	6 ft.	\$168.00
34070-8	8 ft.	\$170.00
34070-10	10 ft.	\$172.00



34072

**OxyQuip O<sub>2</sub> Q/C Hose**

34072	3 ft.	\$164.00
34072-5	5 ft.	\$166.00
34072-6	6 ft.	\$168.00
34072-8	8 ft.	\$170.00
34072-10	10 ft.	\$172.00



34062-90

**N<sub>2</sub>O DISS x DISS 90 Deg Hose**

34062-90-3	3 ft.	\$182.00
34062-90-5	5 ft.	\$184.00
34062-90-6	6 ft.	\$186.00
34062-90-8	8 ft.	\$188.00
34062-90-10	10 ft.	\$190.00



34071

**PB N<sub>2</sub>O Q/C Hose**

34071	3 ft.	\$164.00
34071-5	5 ft.	\$166.00
34071-6	6 ft.	\$168.00
34071-8	8 ft.	\$170.00
34071-10	10 ft.	\$172.00



34073

**Oxyquip N<sub>2</sub>O Q/C Hose**

34073	3 ft.	\$164.00
34073-5	5 ft.	\$166.00
34073-6	6 ft.	\$168.00
34073-8	8 ft.	\$170.00
34073-10	10 ft.	\$172.00



34062-90HT

**N<sub>2</sub>O DISS HT x DISS 90 Deg Hose**

34062-90HT-3	3 ft.	\$210.00
34062-90HT-5	5 ft.	\$212.00
34062-90HT-6	6 ft.	\$214.00
34062-90HT-8	8 ft.	\$216.00
34062-90HT-10	10 ft.	\$218.00

**Puritan Bennett Connectors**

34081	Puritan Bennett Vacuum Male Connector	\$162.00
33976	Puritan Bennett WAGD Male Connector	\$164.00

**OxyQuip N<sub>2</sub>O/O<sub>2</sub> Q/C Hose**

34168-3	3 ft.	\$302.00
34168-4	4 ft.	\$304.00
34168-5	5 ft.	\$306.00
34168-6	6 ft.	\$308.00



34062-HT

**N<sub>2</sub>O DISS x DISS HT Hose**

34062-HT-3	3 ft.	\$188.00
34062-HT-5	5 ft.	\$192.00
34062-HT-6	6 ft.	\$194.00
34062-HT-8	8 ft.	\$196.00
34062-HT-10	10 ft.	\$198.00

**N<sub>2</sub>O/O<sub>2</sub> PB Male Hose Set**

34068-3	3 ft.	\$302.00
34068-4	4 ft.	\$304.00
34068-6	6 ft.	\$308.00

**Oxyquip Connectors**

34084	Oxyquip Vacuum Male Connector	\$162.00
33977	Oxyquip WAGD Male Connector	\$238.00



**34074**

**Matrx™ O<sub>2</sub> Q/C Hose**

<b>34074</b>	3 ft.	<b>\$164.00</b>
<b>34074-5</b>	5 ft.	<b>\$166.00</b>
<b>34074-6</b>	6 ft.	<b>\$168.00</b>
<b>34074-8</b>	8 ft.	<b>\$170.00</b>
<b>34074-10</b>	10 ft.	<b>\$172.00</b>



**34085**

**Chemtron O<sub>2</sub> Hose**

<b>34085</b>	3 ft.	<b>\$164.00</b>
<b>34085-5</b>	5 ft.	<b>\$166.00</b>
<b>34085-6</b>	6 ft.	<b>\$168.00</b>
<b>34085-8</b>	8 ft.	<b>\$170.00</b>
<b>34085-10</b>	10 ft.	<b>\$172.00</b>



**34087**

**Matrx™ N<sub>2</sub>O Q/C Hose**

<b>34087</b>	3 ft.	<b>\$164.00</b>
<b>34087-5</b>	5 ft.	<b>\$166.00</b>
<b>34087-6</b>	6 ft.	<b>\$168.00</b>
<b>34087-8</b>	8 ft.	<b>\$170.00</b>
<b>34087-10</b>	10 ft.	<b>\$172.00</b>



**34086**

**Chemtron N<sub>2</sub>O Hose**

<b>34086</b>	3 ft.	<b>\$164.00</b>
<b>34086-5</b>	5 ft.	<b>\$166.00</b>
<b>34086-6</b>	6 ft.	<b>\$168.00</b>
<b>34086-8</b>	8 ft.	<b>\$170.00</b>
<b>34086-10</b>	10 ft.	<b>\$172.00</b>

**Schrader Flush Q/C Hose**

<b>34668-3</b>	3 ft.	<b>\$302.00</b>
<b>34668-4</b>	4 ft.	<b>\$304.00</b>
<b>34668-5</b>	5 ft.	<b>\$306.00</b>
<b>34668-6</b>	6 ft.	<b>\$308.00</b>

**Matrx™ N<sub>2</sub>O/O<sub>2</sub> Hose**

<b>34368-3</b>	3 ft.	<b>\$302.00</b>
<b>34368-4</b>	4 ft.	<b>\$304.00</b>
<b>34368-5</b>	5 ft.	<b>\$306.00</b>
<b>34368-6</b>	6 ft.	<b>\$308.00</b>

**Chemtron N<sub>2</sub>O/O<sub>2</sub> Hose**

<b>34268-3</b>	3 ft.	<b>\$302.00</b>
<b>34268-4</b>	4 ft.	<b>\$304.00</b>
<b>34268-5</b>	5 ft.	<b>\$306.00</b>
<b>34268-6</b>	6 ft.	<b>\$308.00</b>



**33972**

**Matrx™ Connectors**

<b>34080</b>	Matrx Vacuum Male Connector	<b>\$162.00</b>
<b>33978</b>	Matrx WAGD Male Connector	<b>\$164.00</b>

**Chemtron Connectors**

<b>33979</b>	Chemtron WAGD Male Connector	<b>\$164.00</b>
--------------	------------------------------	-----------------

**Additional Connectors and Adapters**

<b>33972</b>	Accutron™ Vacuum Male Connector	<b>\$182.00</b>
<b>33974</b>	Vacuum DISS Hand-Twist x 90° ½" Hose	<b>\$164.00</b>
<b>33975</b>	WAGD DISS Hand-Twist x 90° ½" Hose	<b>\$164.00</b>
<b>35005</b>	N <sub>2</sub> Hand-Tight 90° x Schrader Female Q/C	<b>\$274.00</b>




# Recessed, Surface & Micro Outlet Stations

## Recessed Outlet Stations

<b>34004</b>	<b>TOP SELLER</b> Recessed Q/C Triple Outlet (N <sub>2</sub> O-O <sub>2</sub> -Vac)*	<b>\$908.00</b>	<b>34011</b>	Recessed Q/C Vacuum Outlet*	<b>\$512.00</b>
<b>34005</b>	Recessed Q/C Dual Outlet (N <sub>2</sub> O-O <sub>2</sub> )	<b>\$576.00</b>	<b>34010-I</b>	Recessed Imperial Q/C N <sub>2</sub> Outlet	<b>\$734.00</b>
<b>34009</b>	Recessed Q/C O <sub>2</sub> Outlet	<b>\$512.00</b>	<b>34010-S</b>	Recessed Schrader Q/C N <sub>2</sub> Outlet	<b>\$748.00</b>

## Recessed Outlet Station Template





### Surface Outlet Stations

**34003** Floor Q/C Dual Outlet (N<sub>2</sub>O-O<sub>2</sub>) **\$982.00**



**34060** Surface Q/C Triple Outlet (N<sub>2</sub>O-O<sub>2</sub>-Vac)\* **\$994.00**



**34076** Surface Q/C Dual Outlet (N<sub>2</sub>O-O<sub>2</sub>) **\$632.00**



**34077** Surface Q/C O<sub>2</sub> Outlet **\$516.00**



**34079** Surface Q/C Vacuum Outlet\* **\$516.00**



**34078-I** Surface Imperial Q/C N<sub>2</sub> Outlet **\$814.00**



**34078-S** Surface Schrader Q/C N<sub>2</sub> Outlet **\$830.00**



### Micro Outlet Stations

**34012-3** **TOP SELLER** **\$1,314.00**



**Micro In-line Triple Outlet Kit – DISS**  
(includes Check Valve Risers, hoses and outlet station)

**34013-3-NS** **Micro In-line Dual Outlet Kit – DISS\*\*** **\$674.00**



(for mounting within cabinetry)

**34012-3-NS** **Micro In-line Triple Outlet – DISS\*\*** **\$982.00**



(for mounting within cabinetry)\*

**27793-FRU** **Oxygen Outlet – DISS with Female Q/C\*\*** **\$362.00**



(for use with Digital Ultra RFS™ Chairmount Kits)


**34013-3** **Micro In-line Dual Outlet Kit – DISS** **\$1,012.00**



(includes Check Valve Risers, hoses and outlet station)


### Micro In-Line Triple Outlet Template

Order Nos. **34012-3, 34012-3-NS**



### Micro In-Line Dual Outlet Template


Order Nos. **34013-3, 34013-3-NS**



\*Requires use of Vacuum Male Connector #33972.

\*\*Does not include risers and hoses.

<b>Accutron™ Axess™ Low Profile Nasal Masks</b>	<b>58</b>
<b>Accutron™ ClearView™ Single-Use Nasal Masks</b>	<b>59</b>
<b>Accutron™ PIP+™ Nasal Masks</b>	<b>60</b>
<b>Capnography Adapters &amp; Bundles</b>	<b>62</b>
Accutron™ Axess™ Capnography Adapters	62
Accutron™ ClearView™ Capnography Adapters	63



## Nasal Masks

We offer four different types of Nasal Masks, in addition to capnography solutions, so you are sure to find a delivery solution that fits your practice. Since introducing our original Accutron™ Personal Inhaler Plus+™ Mask (PIP+) Nasal Mask design, dentistry has evolved and so have we. Our popular mask-in-mask Accutron™ ClearView™ Nasal Mask design and low profile Accutron™ Axess™ Nasal Mask design provide sleek, comfortable options for patients with helpful features for clinicians, as well. And with the American Dental Association's recommendation for single-use masks, we are the only manufacturer with three different types to choose from.



# Accutron™ Axess™ Low Profile Nasal Masks



The low profile design of our Accutron™ Axess™ Low Profile Nasal Masks provide unencumbered access to the oral cavity. They fit snugly without tape or uncomfortable tubes protruding into the patient’s nostril. Accutron™ Axess™ Nasal Masks include lightweight, autoclavable scavenging circuit that minimize drag and pull, enhancing patient comfort. Available in scented and unscented options. Their translucent design allows for visual monitoring of patient’s breathing.

Accutron™ Axess™ Nasal Masks are individually wrapped for greater infection protection, and single-use to minimize cross-contamination. These Nasal Masks are not made with natural rubber latex.

## Accutron™ Axess™ Low Profile Nasal Mask (24/box)

53037-9	Small Clear Unscented	\$182.00	53035-16	Medium Fresh Mint	\$182.00
53037-12	<b>TOP SELLER</b> Small Birthday Bubblegum	\$182.00	53034-9	Large Clear Unscented	\$182.00
53037-16	Small Fresh Mint	\$182.00	53034-12	Large Birthday Bubblegum	\$182.00
53035-9	<b>TOP SELLER</b> Medium Clear Unscented	\$182.00	53034-16	Large Fresh Mint	\$182.00
53035-12	Medium Birthday Bubblegum	\$182.00			

**Accutron™  
ClearView™  
Single-Use  
Nasal Masks**



The mask-in-mask design of our Accutron™ ClearView™ Single-Use Nasal Masks minimize ambient nitrous oxide in operatory and provide a clear outer mask, allowing visual monitoring of patient's breathing. A soft inner mask creates improved facial seal. The low profile of these Nasal Masks expand clinical field of view. Appealing colors and scents engage and relax patients.

Accutron™ ClearView™ Single-Use Nasal Masks are single-use, minimizing cross-contamination and are compatible with other scavenging circuits, including PIP+™ Scavenging Circuits. Not made with natural rubber latex.

**Accutron™ ClearView™ Classic Nasal Mask (12/box)**

<b>33037-9</b>	Pediatric Unscented Grey	<b>\$95.00</b>	<b>33035-12</b>	Adult Birthday Bubblegum	<b>\$95.00</b>
<b>33037-10</b>	Pediatric Outlaw Orange	<b>\$95.00</b>	<b>33035-14</b>	<b>TOP SELLER</b> Adult French Vanilla	<b>\$95.00</b>
<b>33037-11</b>	Pediatric Sassy Strawberry	<b>\$95.00</b>	<b>33035-16</b>	Adult Fresh Mint	<b>\$95.00</b>
<b>33037-12</b>	<b>TOP SELLER</b> Pediatric Birthday Bubblegum	<b>\$95.00</b>	<b>33034-9</b>	Large Adult Unscented Grey	<b>\$95.00</b>
<b>33037-17</b>	Pediatric Groovy Grape	<b>\$95.00</b>	<b>33034-10</b>	Large Adult Outlaw Orange	<b>\$95.00</b>
<b>33035-9</b>	Adult Unscented Grey	<b>\$95.00</b>	<b>33034-14</b>	Large Adult French Vanilla	<b>\$95.00</b>
<b>33035-10</b>	Adult Outlaw Orange	<b>\$95.00</b>	<b>33034-16</b>	Large Adult Fresh Mint	<b>\$95.00</b>

**Accutron™ ClearView™ Nasal Masks connect effortlessly to:**  
 ClearView™ Scavenging Circuits I (**43005** and **43006**)  
 ClearView™ Scavenging Circuit II (**43003** and **43004**)  
 Any existing PIP+ Scavenging Circuit  
 Any Porter™ Brown Scavenging Circuit (no adaptor required)  
 Matrix Scavenging System (has one smooth tube on each side and comes with two connections) requires adapter SKU **35360**, **\$57.00**



**Accutron™  
PIP+™  
Nasal Masks**

Our Accutron™ PIP+™ Nasal Masks set the standard when it comes to conscious sedation therapy. These Nasal Masks provide patients with reliable and comfortable nitrous oxide/oxygen delivery and are single-use, minimizing cross-contamination.

Accutron™ PIP+™ Nasal Masks are lightly scented and brightly colored and available in small, medium and large sizes. Unscented option also available. Not made with natural rubber latex.



Learn more about all our  
[Accutron™ PIP+™ Nasal Masks](#)



### Accutron™ PIP+™ Single-Use Nasal Masks (24/box)

<b>33017-1</b>	<b>TOP SELLER</b> Small Variety Pack 1 (Orange, Strawberry and Bubblegum)	<b>\$140.00</b>	<b>33016-11</b>	Medium Sassy Strawberry	<b>\$140.00</b>
<b>33017-9</b>	Small Unscented Grey	<b>\$140.00</b>	<b>33016-12</b>	Medium Birthday Bubblegum	<b>\$140.00</b>
<b>33017-10</b>	Small Outlaw Orange	<b>\$140.00</b>	<b>33016-13</b>	Medium Pina Colada	<b>\$140.00</b>
<b>33017-11</b>	Small Sassy Strawberry	<b>\$140.00</b>	<b>33016-14</b>	Medium French Vanilla	<b>\$140.00</b>
<b>33017-12</b>	Small Birthday Bubblegum	<b>\$140.00</b>	<b>33016-15</b>	Medium Perfect Peach	<b>\$140.00</b>
<b>33017-17</b>	Small Groovy Grape	<b>\$140.00</b>	<b>33016-16</b>	Medium Fresh Mint	<b>\$140.00</b>
<b>33016-1</b>	<b>TOP SELLER</b> Medium Variety Pack 1 (Orange, Strawberry and Bubblegum)	<b>\$140.00</b>	<b>33015-3</b>	<b>TOP SELLER</b> Large Variety Pack 3 (Mint, Peach and Vanilla)	<b>\$140.00</b>
<b>33016-2</b>	Medium Variety Pack 2 (Pina Colada, Vanilla and Orange)	<b>\$140.00</b>	<b>33015-9</b>	Large Unscented Grey	<b>\$140.00</b>
<b>33016-3</b>	Medium Variety Pack 3 (Mint, Peach and Vanilla)	<b>\$140.00</b>	<b>33015-14</b>	Large French Vanilla	<b>\$140.00</b>
<b>33016-9</b>	Medium Unscented Grey	<b>\$140.00</b>	<b>33015-15</b>	Large Perfect Peach	<b>\$140.00</b>
<b>33016-10</b>	Medium Outlaw Orange	<b>\$140.00</b>	<b>33015-16</b>	Large Fresh Mint	<b>\$140.00</b>

### Accutron™ PIP+™ Adapters

<b>35000</b>	<b>TOP SELLER</b> Porter™ Brown Scavenging System Has four tubes – two ports on each side, mask within mask bearing the name “Brown.”	<b>\$90.00</b>
<b>35100</b>	Porter™ Clean Air Scavenging System Has tube inside tube and wings or vacuum sweeps to draw off excess gas.	<b>\$40.00</b>
<b>35300</b>	Matrx™ (Ohmeda) Scavenging System Has one smooth white tube on each side.	<b>\$90.00</b>
<b>35350</b>	Matrx™ Scavenging System Has one smooth, white tube on each side.	<b>\$90.00</b>
<b>35400</b>	McKesson® Scavenging System Has clear mask and one tube on each side.	<b>\$40.00</b>
<b>35500</b>	<b>TOP SELLER</b> Accutron ClearView™ Scavenging System Has four tubes - two ports on each side, colored and scented mask within clear outer mask.	<b>\$90.00</b>

### Accutron™ PIP+™ Multi-Use Nasal Masks (Steam Sterilize)

<b>33018</b>	Multi-Use Large Mask 1 Each	<b>\$166.00</b>
<b>33019</b>	Multi-Use Medium Mask 1 Each	<b>\$154.00</b>
<b>33020</b>	Multi-Use Small Mask 1 Each	<b>\$142.00</b>

Accutron™ Personal Inhaler Plus+™ Nasal Masks connect effortlessly to Accutron™ Scavenging Circuit I (**33008** and **33010**) and Scavenging Circuit II (**32007** & **32009**). They also connect easily to any brand of scavenging system.



## Capnography Adapters & Bundles

Our line of Capnography Adapters measure patients' end-tidal CO<sub>2</sub>, attaching between the nasal mask and scavenging circuit with a female Luer-Lok® port, providing a secure connection to the capnography monitor's sample line.

Capnography sampling takes place within the nasal mask and directly measures the patient's exhalations at the source. These single-use capnography adapters connect to either side of the nasal mask for additional flexibility.



*Attaches between the Mask and the Scavenging Circuit.*

### Accutron™ Axess™ Capnography Adapters

Our Accutron™ Axess™ Capnography Adapters attaches via a Luer, fitting to a capnography machine's sample line for the purpose of monitoring patient end-tidal CO<sub>2</sub>.

53055

Accutron™ Axess™  
Capnography Adapters  
24/box

\$108.00



Connect to capnography monitor sample line and verify patient end-tidal CO<sub>2</sub>

### Accutron™ ClearView™ Capnography Adapters

Our Accutron™ Clearview™ Capnography Adapters attach between Accutron™ ClearView™ Nasal Mask and scavenging circuit. Capnography sampling takes place within the nasal mask and directly measures patient’s exhalations at the source. A female Luer-Lok® port provides a secure connection to capnograph monitor sample line. Accutron™ Clearview™ Capnography Adapters connects to either right or left side of nasal mask for additional flexibility. They are single-use and individually wrapped to minimize cross-contamination. Bundled option with Accutron™ ClearView™ Nasal Masks are available for ease of ordering.

#### Accutron™ ClearView™ Capnography Adapters (12/box)


<b>43055</b>	Accutron™ ClearView™ Capnography Adapters	<b>\$68.00</b>
--------------	---	----------------

#### Accutron™ ClearView™ Nasal Mask with Capnography Adapter (12/box)

<b>33037-9-CAP</b>	Pediatric Unscented Grey	<b>\$116.00</b>	<b>33035-12-CAP</b>	Adult Birthday Bubblegum	<b>\$116.00</b>
<b>33037-10-CAP</b>	Pediatric Outlaw Orange	<b>\$116.00</b>	<b>33035-14-CAP</b>	Adult French Vanilla	<b>\$116.00</b>
<b>33037-11-CAP</b>	Pediatric Sassy Strawberry	<b>\$116.00</b>	<b>33035-16-CAP</b>	Adult Fresh Mint	<b>\$116.00</b>
<b>33037-12-CAP</b>	<b>TOP SELLER</b> Pediatric Birthday Bubblegum	<b>\$116.00</b>	<b>33034-9-CAP</b>	Large Adult Unscented Grey	<b>\$116.00</b>
<b>33037-17-CAP</b>	Pediatric Groovy Grape	<b>\$116.00</b>	<b>33034-10-CAP</b>	Large Adult Outlaw Orange	<b>\$116.00</b>
<b>33035-9-CAP</b>	<b>TOP SELLER</b> Adult Unscented Grey	<b>\$116.00</b>	<b>33034-14-CAP</b>	Large Adult French Vanilla	<b>\$116.00</b>
<b>33035-10-CAP</b>	Adult Outlaw Orange	<b>\$116.00</b>	<b>33034-16-CAP</b>	Large Adult Fresh Mint	<b>\$116.00</b>

Not made with natural rubber latex.

<b>Accutron™ Axess™ Scavenging Circuits</b>	<b>66</b>
<b>Accutron™ ClearView™ Scavenging Circuits</b>	<b>68</b>
<b>Accutron™ PIP+™ Scavenging Circuits</b>	<b>70</b>



## Scavenging Circuits

Scavenging is an important part of nitrous oxide/oxygen sedation since it carries the mixed gas to the patient, before being delivered through the nasal mask. Our Scavenging Circuits are sterilizable to meet current safety guidelines, and are available in a variety of configurations to suit your needs.



Learn more about all our  
Scavenging Circuit products.



# Accutron™ Axess™ Scavenging Circuits

Accutron™ Axess™ Scavenging Circuits are steam-sterilizable, making them an environmentally friendly and cost-effective solution for your practice. These slender, lightweight circuits are more comfortable for patients and allow unobstructed access for clinician. Accutron™ Axess™ Scavenging Circuits minimize drag and pull, so nasal masks stay in place.



## Accutron™ Axess™ Low Profile Nasal Mask

52005

**TOP SELLER**

**\$258.00**

### Accutron™ Axess™ Scavenging Circuit for In-line Vacuum Controller

Includes 6-foot long low profile scavenging circuit with In-line vacuum controller, complimentary low profile nasal mask assortment, adapters for connecting most non-Accutron vacuum controllers, instructions for use and reprocessing.



53004

### Accutron™ Axess™ Extension Tube

**\$80.00**

32" autoclavable circuit that allows extension of Axess Scavenging Circuits [i.e., Axess™ Scavenging Circuit for In-line Vacuum Controller and Axess™ Scavenging Circuit for Remote Flow System (RFS) and Accu-Vac™.]



52006

### Accutron™ Axess™ Scavenging Circuit for RFS™ Remote Flow System and Accu-Vac™ Vacuum Controller

**\$234.00**

Includes 6-foot long low profile scavenging circuit (to be used with RFS and Accu-Vac™ Vacuum Controllers – not provided), complimentary low profile nasal mask assortment, adapters for connecting most non-Accutron vacuum controllers, instructions for use and reprocessing.



28657-FRU


### Accutron™ Axess™ Accessory Kit

**\$60.00**

Includes white cap, 90° outspout connector, universal vacuum adapter.



**Accutron™ Axess™ Scavenging Circuit Components Diagram (standard in-line vacuum)**



*Note: For Axess™ Scavenging Circuits for Remote Flow System (RFS™) and Accu-Vac™ Vacuum Controller, part 28517-FRU is replaced with 28516-FRU, and parts 25591 and 28530-FRU are not included.*



# Accutron™ ClearView™ Scavenging Circuits

Accutron™ ClearView™ Scavenging Circuits are sterilizable and x-ray compatible. These products meet NIOSH and ADA flow rate recommendations and fit most brands of flowmeters.



## Accutron™ ClearView™ Scavenging Circuits for Standard Bag Tee


<b>43003</b>	<b>TOP SELLER</b> <b>ClearView™ Scavenging Circuit II</b> (includes Scavenging Circuit with Vacuum Control Valve with White Spiral Tubing, Reservoir Bag, 3' Gray Corrugated Tube and complimentary ClearView™ Single-Use Nasal Masks)	<b>\$976.00</b>
<b>43005</b>	<b>ClearView™ Scavenging Circuit I</b> (includes Scavenging Circuit with Vacuum Control Valve & White Spiral Tubing, and complimentary ClearView™ Single-Use Nasal Masks)	<b>\$854.00</b>

## Accutron™ ClearView™ Scavenging Circuits for Remote Flow Systems and Accu-Vac™

<b>43004</b>	<b>ClearView™ Scavenging Circuit II</b> (includes Scavenging Circuit, 6' White Spiral Tube, 3' Gray Corrugated Tube, Reservoir Bag and complimentary ClearView™ Single-Use Nasal Masks)	<b>\$928.00</b>
<b>43006</b>	<b>ClearView™ Scavenging Circuit I</b> (includes Scavenging Circuit, with 6' White Spiral Tubing and complimentary ClearView™ Single-Use Nasal Masks)	<b>\$812.00</b>
<b>43009</b>	<b>TOP SELLER</b> <b>ClearView™ Scavenging Circuit</b> Extra sterilizable components	<b>\$300.00</b>

Not made with natural rubber latex.

**Accutron™ ClearView™ Scavenging Circuit Components Diagram (Standard Bag Tee)**



Note: For ClearView™ Scavenging Circuits for RFS and Accu-Vac, parts 25591, 22122, and 25592 are replaced with a 6' Spiral Vacuum Tube (part 27132)

**Accutron™ PIP+™  
Scavenging  
Circuits**

Accutron™ PIP+™ Scavenging Circuits are sterilizable and x-ray compatible. These Scavenging Circuits meet NIOSH and ADA flow rate recommendations. The flexible system accommodates most brands of flowmeters. Not made with natural rubber latex.




### Accutron™ PIP+™ Scavenging Circuits for Standard Bag Tee

<b>32007</b>	<b>TOP SELLER</b> <b>Accutron™ PIP+™ Scavenging Circuit II</b> (Includes Scavenging Circuit with Vacuum Control Valve, Corrugated Tube, Reservoir Bag and complimentary PIP+™ Single-Use Nasal Masks)	<b>\$978.00</b>
<b>33010</b>	<b>Accutron™ PIP+™ Scavenging Circuit I</b> (Includes Scavenging Circuit with Vacuum Control Valve and complimentary PIP+™ Single-Use Nasal Masks)	<b>\$854.00</b>
<b>33011</b>	<b>Scavenger with Large Multi-Use Mask</b>	<b>\$900.00</b>
<b>33012</b>	<b>Scavenger with Medium Multi-Use Mask</b>	<b>\$900.00</b>
<b>33013</b>	<b>Scavenger with Small Multi-Use Mask</b>	<b>\$900.00</b>

### Accutron™ PIP+™ Scavenging Circuits for Remote Flow Systems & Accu-Vac™

<b>32009</b>	<b>Accutron™ PIP+™ Scavenging Circuit II</b> (includes Scavenging Circuit, Corrugated Tube, Reservoir Bag and complimentary PIP+™ Single-Use Nasal Masks)	<b>\$928.00</b>
<b>33008</b>	<b>Accutron™ PIP+™ Scavenging Circuit I</b> (includes Scavenging Circuit and complimentary PIP+™ Single-Use Nasal Masks)	<b>\$814.00</b>
<b>33009</b>	<b>TOP SELLER</b> <b>Accutron™ PIP+™ Scavenging Circuit</b> Extra sterilizable components	<b>\$300.00</b>


### Accutron™ PIP+™ Scavenging Circuit Components Diagram (Standard Bag Tee)



Note: For PIP+™ Scavenging Circuits for RFS™ Remote Flow System and Accu-Vac™ Vacuum Controller, parts 25591, 22122 and 25592 are replaced with a 6' Spiral Vacuum Tube (part 27132).

**Emergency Oxygen Equipment**

**74**



## **Oxygen Equipment & Components**

Our reliable and readily accessible Oxygen Equipment & Components offer you assurance and peace of mind in the event you need to handle unexpected emergencies.



# Emergency Oxygen Equipment

38013



**Deluxe Portable Oxygen System \$1,942.00**

Includes: Demand Valve with O<sub>2</sub> Q/C Fitting, Adult Facemask, Adjustable Liter Flow Regulator, In-line O<sub>2</sub> Adapter, Cylinder Wrench, Cart, and Regulator 35018 (gas cylinder not included)

38011



**TOP SELLER Demand Valve Resuscitator \$944.00**

Includes: Demand Valve, 6 ft O<sub>2</sub> Hose, O<sub>2</sub> Male Q/C Fitting


38010



**Portable Oxygen System \$1,602.00**

Includes: Demand Valve with O<sub>2</sub> Q/C Fitting, Adult Facemask, Cylinder Wrench, Cart, and Regulator 35013 (gas cylinder not included)

38007



**TOP SELLER Manual Resuscitator with Bag, Valve, Mask and Oxygen Tube \$412.00**

38006



**Portable Oxygen System \$1,098.00**

Includes: Bag, Valve, Mask (Manual Resuscitator), Oxygen Tube, Cylinder Wrench, Cart and Regulator 35012 (gas cylinder not included)

26849-FRU



**Oxygen Fitting - DISS with Female Q/C \$134.00**

**38008**



**Full Facemask – Adult**  
Replacement part for Demand Valve, Manual Resuscitator & Oral Surgery System

**\$106.00**

**35018**



**Deluxe “E” Yoke Regulator**  
with Content Pressure Gauge and Features Two 50 psi DISS Outlets and an Internal Liter-Flow Control with O<sub>2</sub> Barb

**\$706.00**

**38009**



**Full Facemask – Child**  
Replacement part for Demand Valve, Manual Resuscitator & Oral Surgery System

**\$106.00**

**35013**



**“E” Yoke Regulator**  
with Content Pressure Gauge and Features a 50 psi DISS DISS Outlet

**\$578.00**

**38001**



**E Cylinder Mobile Cart**

**\$284.00**

**35012**



**“E” Yoke Regulator**  
Liter-Flow Control Knob, and O<sub>2</sub> DISS with Barb Adapter included (P/N 24589)

**\$622.00**

**33029-10**



**Pediatric Nasal Cannula**  
with 7 ft Tubing  
(curved tips; \*Non-Latex; 10 per pkg.)

**\$116.00**

**35014-U**



**TOP SELLER**  
**Oxygen Liter-Flowmeter**  
(for use with oxygen outlets that do not have a hex nut)

**\$288.00**

**33030-10**



**Adult Nasal Cannula**  
with 7 ft Tubing  
(curved tips; \*Non-Latex; 10 per pkg.)

**\$116.00**

**35014-HL**



**Oxygen Liter-Flowmeter**  
(for use with oxygen outlets that have a hex nut, including stand-alone outlet 27793)

**\$288.00**



34018

Oxygen Liter-Flow Mounting Bracket  
(for 35014-U)

\$128.00



27254-FRU

Oxygen Fitting – DISS  
with Male Q/C without Bracket

\$120.00



35015

Oxygen Liter-flow Selector Valve  
with Bracket  
(0 to 15 lpm) with O<sub>2</sub> Barb and O<sub>2</sub>  
Q/C Fitting (P/N 27775)

\$770.00



27775-FRU

Oxygen Fitting –  
.13 in Male Pipe Thread with Male  
Q/C with Bracket

\$124.00



35016

Oxygen Liter-flow Selector Valve  
without Bracket  
(0 to 15 lpm) with O<sub>2</sub> Barb and O<sub>2</sub>  
Q/C Fitting (P/N 27958)

\$770.00



27958-FRU

Oxygen Fitting –  
.13 in Male Pipe Thread with Male  
Q/C without Bracket

\$124.00



35017

Oxygen Liter-flow Selector Valve  
with 90° EII (0 to 15 lpm)  
with O<sub>2</sub> Barb, Set-up for RFS™  
Remote Flow System D

\$770.00



27793-FRU

Oxygen Outlet – DISS with Female  
Q/C  
(for use with Digital Ultra RFS™  
Chairmount Kits. Does not include  
riser and hoses.)

\$362.00



27253-FRU

Oxygen Fitting – DISS  
with Male Q/C with Bracket

\$122.00



24589-FRU

Oxygen DISS with O<sub>2</sub> Barb Fitting  
(green nut & nipple)

\$12.00



27429


Extension, Oxygen Liter/Flowmeter

\$54.00

### Oxygen Male Q/C (MQC) Chart

Connectors / Outlets	O <sub>2</sub> Outlet	Micro O <sub>2</sub> Outlet	Micro Double Outlet	Micro Triple Outlet	RFS™ System A	RFS™ System D	Accu-Vac™ Vacuum Controller	Ultra PC™ % Cabinet Mount Flowmeter	Ultra PC™ Flowmeter/ Ultra DC™ Flowmeter	Newport™ System
27253-FRU		•			•	•	•	•	•	•
27775-FRU		•			•	•*	•	•	•	•
27254-FRU	•	•	•	•	•	•	•	•	•	•
27958-FRU	•	•	•	•	•	•	•	•	•	•

**Rubber Goods & Other Components**



## **Rubber Goods & Other Components**

Our wide variety of Rubber Goods & Other Components are latex-free replacement parts to keep on-hand to help you maintain your system when needed, helping you be the Best in Practice.



# Rubber Goods & Other Components

## Rubber Goods

**22137-FRU** 6' (72") Corrugated Tube **\$92.00**



**33014** 3' (36") Corrugated Tube **\$64.00**



**33025** **TOP SELLER** **\$60.00**

Reservoir Bag – 3 Liter, 15" long



**33026** Reservoir Bag – 2 Liter, 12.3" long **\$58.00**



## Scavenging Circuit Components

**20009** Autoclave Leaf for PIP+ **\$3.00**

**21245** Large Y Connector **\$48.00**



**21178** **TOP SELLER** **\$48.00**

Double Connectors for PIP+™ Nasal Mask (2/pkg.)



**21246** Small Y Connector **\$48.00**



**21179** **TOP SELLER** **\$48.00**

Single Connectors for PIP+™ Nasal Mask (2/pkg.)



**22099** **TOP SELLER** **\$80.00**

Scavenging Hub for PIP+™ Nasal Masks



**Scavenging Circuit Components** *(Continued)*

22122	Vacuum Controller w/ Gauge (for standard bag tee) for ClearView™ and PIP+™ Nasal Masks	\$248.00	25591	Spiral Vacuum Tube – 3 1/2'	\$34.00	
						
28530-FRU	Vacuum Controller w/ Gauge for Axess™ In-line Scavenging Circuit	\$228.00	25592	Spiral Vacuum Tube – 1 1/2'	\$30.00	
28657-FRU	Axess™ Accessory Kit (Includes: 90° Outspot Adapter, White Cap, Matrix™ Scavenger Adapter, Porter™ In-line Scavenger Adapter and Porter™ AVS Scavenger Adapter)	\$60.00		27132	6' Spiral Vacuum Tube (for RFS™ Scavenging Circuit)	\$60.00
						
28463-FRU	Vinyl Cap (7/8" x 1/2")	\$14.00	25593	<b>TOP SELLER</b> 5" Large Tube for PIP+™ Scavenging Circuit (order 2)	\$30.00	
28624-FRU	Axess™ RFS Hose Assembly	\$252.00				
28625-FRU	Axess™ In-Line Hose Assembly	\$252.00	25594	<b>TOP SELLER</b> 7 1/4" Small Tube for PIP+™ Scavenging Circuit (order 2)	\$30.00	
						
26253	Tube Slide Double	\$40.00	26252	PIP+™ Scavenging Plug	\$40.00	
						
25590	Double Tubing for PIP+™ Scavenging Circuit (order 2), 27.25" long	\$50.00	26254	Single Vacuum Connector (HVE adapter)	\$22.00	
						
53004	Axess™ Extension Tube (tubing that extends the Axess™ Scavenging Circuit by 32")	\$80.00	26255-FRU	90° Elbow (creates 90° angle off flowmeter for attachment of scavenging circuit)	\$40.00	
						
28559-FRU	Axess™ Scavenging Circuit to Accu-Vac™ Adapter	\$66.00	27693-FRU	Double Tubing for ClearView™ Scavenging Circuit (order 2) , 32" long	\$50.00	
						
28146	Mixed Gas Tubing White, 25 ft	\$86.00				





# The Best In Practice

Hu-Friedy Mfg. Co., LLC, 1666 E. Touhy Ave., Des Plaines, IL 60018 | [HuFriedyGroup.com](https://www.HuFriedyGroup.com)

Accutron™, Accu-Vac™, Axess™, ClearView™, Guardian Monitor™, Digital Ultra™, Digi-Flo™, Newport™, PIP+™, Personal Inhaler Plus+™, RFS™, Ultra DC™, and Ultra PC™ are trademarks of Hu-Friedy Mfg. Co., LLC. All other product and company names referenced are trademarks of their respective owners.

Pricing is subject to change at any time. Please consult Price List.

©2024 Hu-Friedy Mfg. Co., LLC. All rights reserved. HFL-599/0923





# Continuous Treatment

The long and narrow design of DUWLs creates the perfect breeding ground for microbial growth. When untreated, or improperly maintained, the water flowing through these contaminated DUWLs and out through dynamic instruments used during treatment can potentially harm your patients, staff and practice reputation. VistaClear™ DP Centralized Waterline Treatment System continuously delivers compliant patient treatment water directly to the dental unit.



Learn more about our [Continuous Treatment](#) products.

## VistaClear™ DP Centralized Waterline Treatment System

The VistaClear™ DP Centralized Waterline Treatment System filters water centrally for directly connected dental operatories and provides a method for delivering compliant\*, on-demand procedural water with reduced microbial contamination (<200 CFU/mL) and odor-causing bacteria buildup when used with the EPA registered DentaPure™ Cartridge. It eliminates the need for dental bottles and water-storage tanks, and the need for purchased water and waterline tablet treatments for bottle systems.




Learn more about our [VistaClear™ Centralized Waterline Treatment System](#).



<b>VistaClear™ DP Centralized Waterline Treatment System</b>	
<b>CVV1000-DP</b>	<b>\$7038.00</b>

<b>Annual Replacement Cartridges for VistaClear™ DP Waterline Treatment System</b>		
DentaPure™ Cartridge	<b>DP365VC</b>	<b>\$1,106.70</b>
VistaClear™ DP Carbon Block Filter	<b>CVR9725</b>	<b>\$194.35</b>



## **Sterilization Center Water Solutions**

HuFriedyGroup offers a comprehensive range of water treatment and wastewater management products for sterilization centers. Our products are designed to help you ensure the highest quality water is used in your sterilization processes, while also reducing your workload and protecting your equipment.

\*Compliance = Compliance with current EPA potable water standard of <500 CFU/mL.

Note: some of the devices, products, and/or programs advertised may not be licensed for sale outside the United States. Contact your local sales or customer care representative for availability details. For full product warranty details, please visit [HuFriedyGroup.com/services/warranties](https://www.hufriedygroup.com/services/warranties)

The contents of this catalog including, but not limited to, all text, photographs and graphics, are the sole and exclusive property of Hu-Friedy Mfg. Co., LLC its affiliates or related companies and may not be copied, reproduced or distributed without prior written permission.

Hu-Friedy Mfg. Co., LLC, 1666 E. Touhy Ave., Des Plaines, IL 60018 | [HuFriedyGroup.com](https://www.hufriedygroup.com)

All company and product names are trademarks of Hu-Friedy Mfg. Co., LLC its affiliates or related companies, unless otherwise noted. STAT/M®, STATCLAVE® and BRAVO™ are registered trademarks and trademarks of SciCan Ltd. Midmark®, M9® and M11® are registered trademarks of Midmark Corporation. VistaCheck™ and DrainHub™ are trademarks of Vista Research Group, Inc.





# Water Purification


Poor water quality can damage dental instruments inside instrument washers or interfere with proper sterilization. The VistaPure™ Water Purification System eliminates the need to buy bottled water, distilled water or own a distiller with one convenient system.



Learn more about our [Sterilization Center Water Solutions.](#)

## VistaPure™ Water Purification System

VistaPure™ Water Purification System produces two grades of high-purity water for autoclaves, dental bottles, ultrasonic cleaners and the rinse cycle of instrument washers. It connects directly to the city water supply and sends purified water anywhere it's needed in the steri-center for easy, on-demand use. Optional, autofill devices replenish SciCan STAT/M® Autoclave and BRAVO™ Autoclave reservoirs automatically, enabling truly hands-free convenience. Optional adapter kit sends high-purity water to instrument washers with final-rinse ports to help protect dental instruments from poor-quality water.



VistaPure™ Water Purification System  
**CVV3000 \$3,666.90**

VistaPure™ Instrument Washer Adapter Kit	<b>CVS3010</b>	<b>\$79.85</b>
VistaPure™ STATCLAVE® Adapter Kit	<b>CVS3015</b>	<b>\$45.05</b>
VistaPure™ AutoFill Kit for SciCan STAT/M® Autoclave	<b>CVS3020</b>	<b>\$229.20</b>
VistaPure™ AutoFill Kit for SciCan BRAVO™ Autoclave	<b>CVS3030</b>	<b>\$286.35</b>
VistaPure™ Replacement Filter – Prefilter (#1)	<b>CVR3251</b>	<b>\$82.90</b>
VistaPure™ Replacement Filter – Deionization Filter (#2)	<b>CVR3252</b>	<b>\$119.85</b>
VistaPure™ Replacement Filter – Deionization Filter (#3)	<b>CVR3253</b>	<b>\$119.85</b>
VistaPure™ Replacement Filter – Hyperfilter (#4)	<b>CVR3254</b>	<b>\$240.25</b>
VistaPure™ Replacement Filter – Polishing Filter (#5)	<b>CVR3255</b>	<b>\$82.90</b>
VistaPure™ Legacy Filter – Polishing Filter (#5)	<b>CVR2551</b>	<b>\$82.90</b>
VistaPure™ Water Storage Tank (4.25 Gallon)	<b>CVS9111</b>	<b>\$339.40</b>
VistaPure™ Water Storage Tank (9.5 Gallon)	<b>CVS9113</b>	<b>\$573.75</b>
VistaPure™ Autoclave Wand	<b>CVS9300</b>	<b>\$178.75</b>
VistaPure™ BottleFill Remote Water Dispenser	<b>CVS3050</b>	<b>\$229.20</b>

# Wastewater Management

The wastewater produced during the process of steam sterilization can often be problematic. Many autoclaves discharge steaming-hot condensation after each sterilization cycle, which is typically collected in a bottle that dental staff members must monitor continuously and empty manually throughout the week. Not only is this process time-consuming and inefficient, but steam and spills from condenser bottles can also damage sterilization center cabinetry.



Learn more about our [Wastewater Management](#) products.

## VistaCool™ Direct-to-Drain Cooling System

The VistaCool™ Direct-to-Drain Cooling System protects drains by preventing autoclave wastewater from melting plumbing. It also protects cabinets by helping to prevent mildew, rot, rust and delamination caused by spills and humid environments created by autoclave condenser bottles. VistaCool™ System saves staff time by eliminating the need to empty steaming-hot water bottles manually.



VistaCool™ Single-Autoclave Cooling System

**CVV7501** \$1,060.80



VistaCool™ Double-Autoclave Cooling System

**CVV7502** \$1,417.80

VistaCool™ Adjustable Tank Stand for Single-Autoclave Cooling System

**CVS7545** \$149.90

VistaCool™ Adjustable Tank Stand for Double-Autoclave Cooling System

**CVS7547** \$156.60

VistaCool™ Adapter Kit for Midmark® M9® & M11® Autoclaves


**CVS7560** \$171.30



# Accessories

## VistaCheck™ Backflow Preventer

VistaCheck™ Backflow Preventer is a QAI certified dual check valve backflow prevention device that can eliminate the need for reduced pressure zone (RPZ) valves, vacuum breakers, and air gaps. It's made from medical-grade components suitable for food contact. Generally accepted by state and local code authorities as suitable for backflow and cross-connection protection.



VistaCheck™ Dual Check Valve Backflow Preventer		
1/4" (6.35 mm)	<a href="#">CVVC250-A</a>	<b>\$145.85</b>

## DrainHub™ Drain Adapter

The DrainHub™ Drain Adapter is QAI certified and accepts up to eight drain connections in one small hub, saving space, cost and time. It is easy to install: top and bottom slip hubs accept 1-1/2" pipe; bottom hub glues into 2" coupling. DrainHub Drain Adapter has 1/2" NPT threaded ports accept a variety of push-to-connect, compression, and hose barb adapter fittings.



DrainHub™ Multi-Port Drain Adapter		
8-Port	<a href="#">CVDH158</a>	<b>\$69.80</b>

DrainHub™ Fittings Accessory Kit		
20 Fittings	<a href="#">CVDH8200</a>	<b>\$74.50</b>

DrainHub™ (8-Port) with Fittings		
Accessory Kit	<a href="#">CVDH158-82</a>	<b>\$69.80</b>