# THE KAVO ADVANTAGE

Your guide to KaVo innovations



## WELCOME TO THE KAVO ADVANTAGE

Since 1909, dental professionals around the world have trusted the quality and precision of KaVo instruments. With more than 5 million handpieces sold worldwide, KaVo is the number one selling handpiece in the world.

## Dental Excellence since

1909

In 1928, the first sterilizable handpiece is created by KaVo.



In 1909, KaVo is founded by Alois Kaltenbach and in 1919 Richard Voigt joins the company. 1958

In 1958, KaVo launches its first turbine called Borden-Air 60. Our vast line of quality handpieces showcases our attention to your level of care while delivering performance that lasts. It is our passion for excellence that enables us to deliver the best air-driven, electric and surgical systems worldwide.



In 1982, KaVo integrates the first light conductors into turbines.

Legend

2-Hole

In 2006, KaVo introduces the revolutionary DIAGNOdent™ pen caries detection aid.

In 2012, KaVo introduces INTRAmatic LUX KL703 LED Short Motor, one of the shortest and lightest electric motors.

In 2014, KaVo introduces MASTERtorque™ M8900 L, one of the worlds most powerful

and advanced high-

speed turbines..

In 2017, KaVo reveals a new, modern logo and refresh to its branding. KaVo elevates its brand as the premier handpiece choice in North America.







In 2019 KaVo launches

the next-generation

polisher. With one of the

most advanced designs

PROPHYflex™ 4 air

of its generation.





6-Pin



Light

## **Electrics Collection** The pinnacle of KaVo innovation

KaVo offers a comprehensive electrics system. By combining KaVo's smallest head size for best access and visibility, a reliable triple gear system, and a short, light-weight motor, KaVo provides you with the ideal solution for synchronized efficiency.

Smaller Head Size

For easy, efficient access to the preparation area



#### KaVo Push-Button Chuck System

With a retention power of up to 30 N for secure retention of the bur



#### Low Volume (only 55 dB(A)

To eliminate unpleasant noises for patients and treatment personnel



#### **Optimum Access**

Thanks to the 100°/19° head/knee angle combination



#### Triple-Gear Technology

For ultra-smooth operation with minimal vibration



#### **Plasmatec™** Coating

For a perfect grip and excellent hygiene

#### **Powerful balance**

Celebrating over 10 years of its revolutionary impact to electrics innovation, KaVo's INTRA<sup>™</sup> LUX KL 703 LED offers impressive power and handling. With perfect ergonomics and optimum weight distribution, the KL703 LED is the powerful force behind KaVo's award winning Electrics collection.





#### **ELECTROmatic Premium**

The ultimate all-in-one device for intuitive operation and integrated endo function. Available with one or two motors for easy switching between high-speed and low-speed applications. The pre-programmed file systems make it easy to plan and customize your endodontic sequence.



#### **ELECTROmatic Plus**

The perfect solution for all high-speed and low-speed applications. ELECTROmatic<sup>™</sup> Plus is equipped with an easy-to-read LCD display and multiple mounting options offer the best visibility and ergonomics to adjust the motor speed settings.



#### ELECTROmatic

The entry into the world of KaVo electrics. Pairs perfectly with the innovative COMFORTdrive 200XDR high-speed handpiece – now with increased speed range for some low-speed applications.



#### **INTRA LUX Heads**

|                        | Î               |                      |                      |                     |               |                 |                 |  |
|------------------------|-----------------|----------------------|----------------------|---------------------|---------------|-----------------|-----------------|--|
| INTRA <sup>™</sup> LUX | L68 B           | L80                  | L67                  |                     | L66 B         | L53             | L3              |  |
| INTRA LUX version      | Operative Latch | Operative Friction G | rip Operative        | Latch Endo          | dontics Latch | Endodontics     | Endodontics     |  |
| Transmission type      | 1:1             | 1:1                  | 2:1 Reduc            | tion 3:             | 1 Reduction   | 90° Oscillating | 90° Oscillating |  |
| Part no.               | 1008.1834       | 1004.4456            | 1008.18              | 1008.1832 1008.1831 |               | 1008.1826       | 1008.1830       |  |
| INTRA™ LUX             | L3Y             | L61 G                | L61 R                | L62                 | L52           | L31             | L22             |  |
| INTRA LUX version      | Endodontics     | Ortho / Perio / Endo | Ortho / Perio / Endo | Endodontics Latch   | Mini Latch    | Prophy          | Micro           |  |
| Transmission type      | Specialty       | Axial stroke (3:1)   | Axial stroke (3:1)   | 10:1 Reduction      | 1:1           | 2:1 Reduction   | 1:1             |  |
| Part no.               | 1008.1823       | 1008.1828            | 1008.1829            | 1008.1830           | 1008.1825     | 1008.1824       | 1008.1835       |  |

#### **EXPERTmatic Attachments**



\*Model numbers ending in C are non-optic

#### COMFORTdrive



| Handpiece Model | COMFORTdrive <sup>™</sup> 200 XDR                                    |  |  |  |  |
|-----------------|--|--|--|--|--|
| Speed range     | 20,000 - 200,000 rpm   |  |  |  |  |
| Connection type | Pairs exclusively with COMFORTbase coupling system                   |  |  |  |  |
| Features        | Very lightweight and powerful -<br>the most ergonomic KaVo handpiece |  |  |  |  |
| Part No.        | 1007.3570  |  |  |  |  |

#### **Electric Systems**



#### **ELECTROmatic™ Premium with KL703 motor standard tube (69 inch)** Part no. 1012.8545 – 1 x KL703

Part no. 1012.8547 – 2 x KL703 Part no. 1013.0311 – 1 x KL703 (option to upgrade to additional motor)



#### ELECTROmatic™ Plus with KL703 motor standard tube (69 inch) Part no. 1012.8541 – 1 x KL703



ELECTROmatic<sup>™</sup> Part no. 1012.8539 − 1x COMFORTbase



## **Air-Driven High-Speed Collection** Superlative performance and power

KaVo's MASTERtorque premium air-driven handpieces feature superlative performance coupled with superior access and visibility, especially in the posterior. The extremely well-balanced turbines create whisper quiet operation that protects your hearing and helps create a more relaxing environment for all.



#### Safe Preparations with Direct Stop Technology™

Bur stops in less than one second for greater safety during treatment



#### Maximum Chuck Strength

With a retention power of up to 30 N for secure retention of the bur 31 watts (M8900 L), 30 watts (M8700 L)



#### **More Power**

Most powerful high-speed with ceramic bearings



#### Whisper Quiet Operation

Quietest KaVo Air High-speed at 57 decibels (M8900 L), 59 decibels (M8700 L)



UX M8700

#### **Non-Return Feature**

Effectively prevents contaminated debris and aerosol from getting inside the housing around the head



#### Industry Leading Access

Better access even with a 19 mm bur, the total head height is only 20 mm

| MASTERtorque™ |             |   | EXPERTtorque  | тм                                     | SMARTtorque™           | 1              |              | SURGtorque™                  |                 |  |
|---------------|-------------|---|---|--|------------------------|----------------|--------------|------------------------------|-----------------|--|
|               | Autor order |   | A CONTRACT OF A | KINO LESSING                           | Annual COUNT           | Management OVM | NAVO BIRLING | alimited OANN                | KINO university | KINO SHEET                                 |
|               | M8900 L     | M8700 L   | E679 L  | E675 L                                 | S619 L                 | S615 L         | S609 C       | S605 C                       | S459 L          | S459 C                                     |
| Head size     | Standard    | Mini  | Standard  | Mini                                   | Standard               | Mini           | Standard     | Mini                         | Standard        | Standard                                   |
| Power         | 31 watts    | 30 watts  | 29 watts  | 27 watts                               | 26 watts               | 22 watts       | 26 watts     | 22 watts                     | 19 v            | vatts                                      |
| Features      | 2-year Stan | gy™, Plasmatec Coating,<br>dard Warranty,<br>uiet Operation |   | generation cellular<br>tton auto chuck | Optimum b<br>speed and |                |              | balance of<br>que, Non-optic | exhaust av      | s direct excess<br>vay form the<br>ng area |
| Part no.      | 1008.7800   | 3001.0000   | 1006.9200   | 1006.6400                              | 1008.1641              | 1008.1643      | 1008.1644    | 1008.1645                    | 3000.4808       | 3000.5063                                  |





## **SMARTmatic Low-speed Collection** The smart choice for your practice

The SMARTmatic series unites KaVo's trusted quality with smart features for optimal ease of use and successful clinical outcomes. As a successor to the established INTRAmatic E / ES series, our SMARTmatic compliments the MASTER and EXPERT series to offer you an attractive entry into the world of KaVo.

#### **Exceptional Quality**

Designed by the leading dental brand, known and trusted for over 110 years — Made in Germany.

#### Versatile Portfolio

Wide range of treatment options thanks to 13 unique instruments within the SMARTmatic collection



#### Premium Materials

Stainless steel construction for long-lasting durability and low cost of ownership



#### Precise Ball Bearings

Made with quality performance top of mind, extremely precise ball bearings for a high degree of efficiency

#### Smart Design

Ergonomic design provides better visibility and balance for precise treatment

#### SMARTmatic<sup>™</sup>

| SMARTmatic™                     | KAVO<br>S20 K | KANO<br>S80 K | Revo<br>S19 K | RAVO<br>SS31 K        | STO K       | Sector<br>Sector<br>S20 | KAVO<br>S881 | BUCK RANGE<br>S321 | Revealed in the second se | BURNESS S31           | RAVO<br>S33           | State<br>State<br>State<br>State<br>State<br>State<br>S53 | Superformer<br>Superformer<br>S10 |
|---------------------------------|---------------|---------------|---------------|-----------------------|-------------|-------------------------|--------------|--------------------|--|-----------------------|-----------------------|---|-----------------------------------|
| Primary indication(s)           | Restorative   | Restorative   | Prophy        | Prophy                | Restorative | Restorative             | Endo         | Endo               | Prophy   | Prophy                | Prophy                | Prophy/Endo   | Restorative                       |
| Operating speed<br>transmission | 1:1           | 1:1           | 8:1           | 8:1                   | 1:1         | 1:1                     | 8:1          | 32:1               | 8:1  | 8:1                   |                       | 8:1<br>ting rotation                                      | 1:1                               |
| Chuck system                    | Latch type    | Friction grip | Doriot        | Screw-in<br>(Snap-on) | Latch type  | Latch type              | Latch type   | Latch type         | Doriot   | Screw-in<br>(Snap-on) | Screw-in<br>(Snap-on) | Latch type  | Latch type                        |
| Part no.                        | 1011.6751     | 1011.6771     | 1011.6741     | 1011.6761             | 1011.6731   | 1011.6750               | 1011.6780    | 1011.6790          | 1011.6740  | 1011.6760             | 1011.6800             | 1011.6810   | 1011.6730                         |

SMARTmatic models ending in K are suitable for INTRA 181K Air motor. All others are compatible with any E-style motor.



INTRA<sup>™</sup> 181 K Air motor Forward/reverse adjustment Part no. 0535.5260





INTRAmatic<sup>™</sup> 181 M Air motor Quick Disconnect, water adjustment. Part no. 0535.5250





INTRA<sup>™</sup> 181 H Air motor Water adjustment. Part no. 0535.5200





INTRA<sup>™</sup> LUX 181 L Air motor Water and Light Part no. 0535.5210



INTRA<sup>™</sup> LUX KL 703 LED Electric motor Brushless motor Part No. 1007.0150





## **QUATTROcare Plus** Automated handpiece maintenance system

The user friendly QUATTROcare<sup>™</sup> Plus handpiece maintenance system is designed to clean, lubricate and purge your instruments with the simple push of a button. Maintenance with the QUATTROcare Plus system means less wear, less repairs, less staff down time, smoother operation, and increased longevity of your handpieces.





#### Easy to Use

Up to four (4) handpieces or air motors are cleaned, lubricated and purged in the same cycle



#### Safe, Controlled Cleaning Completely controlled cleaning and

purging procedure



#### Economical Investment

Can be used for virtually all manufacturers' handpieces, air driven scalers and air motors



#### Fast Cleaning Cycle

Flexible programming allows setting of total cycle time from 20-45 seconds per handpiece



#### Chuck Care Maintenance

Chuck care system provides easy maintenance of handpiece chuck

QUATTROcare Plus™ Part no. 1008.3805



#### Easy operation with three simple steps



The use of QUATTROcare Plus ensures consistent servicing and minimizes errors, which leads to savings from unnecessary repairs. Discover tips on how to prolong the service life of your KaVo handpieces by downloading our KaVo Care & Maintenance Brochure.



Exact Amount, Every Time

cleans and lubricates in just one step.

amount of spray to properly lubricate your



## KAVO HYGIENE Complete routine care.

KaVo Hygiene is a complete solution which helps you provide your patients with excellent dental care. Start the hygiene workflow with the SONICflex for scaling, then PROPHYflex for tooth cleaning, PROPHYwiz for tooth polishing, and DIAGNOdent for caries and sub-gingival calculus detection.

## **SONICflex quick** HYGIENE - STEP 1 SCALING


Expand your clinical capabilities while improving efficiency with KaVo SONICflex<sup>™</sup>. Boasting more than 50 tips to support procedures ranging from hygiene, Endodontics, Orthodontics, CAD/CAM, and minimally invasive dentistry, SONICflex can truly become your goto instrument. Easily integrating onto any delivery unit with a MULTIflex coupler adds flexibility and versatility to every operatory.



SONICflex™ Part no. 1007.1604 (2008 L quick) Part no. 1000.8333 (2003 L)



SONICflex provides versatile tips for excelling in applications like caries therapy, endodontics, sealant prep, restorations, CAD/CAM prep, and inlay/onlay procedures.



## HYGIENE – CLEANING

**PROPHYflex 4** 

Prevent caries, periodontitis and gingivities by removing biofilm deposits easily with PROPHYflex 4 air polishing device. The PROPHYflex 4 connects easily to KaVo MULTIflex couplers for a quick disconnect and optimal portability.

It's ergonomically designed for a more comfortable experience. PROPHYflex 4 is designed so you can easily disassemble, clean, disinfect and sterilize the device before every use. PROPHYflex 4 checks all the boxes.

#### PROPHYflex<sup>™</sup> 4

Part no. 3002.8000 (wave blue) Part no. 3002.8200 (lime green) Part no. 3002.8800 (flamingo pink)

Scan to view accessories and powder options



## **PROPHYwiz 181P** HYGIENE – POLISHING

PROPHYwiz provides you with the most comfortable polishing handpiece to maximize productivity and make polishing easier and more enjoyable. PROPHYwiz runs smoothly and quietly to optimize patient comfort. PROPHYwiz is an affordable and easy integration to your existing hygiene workflow.



**PROPHYwiz™ 181 P** Part no. 1003.2278



## **RONDOFLEX plus 360** HYGIENE – ABRAISION

#### **RONDOflex plus 360**

The RONDOflex<sup>™</sup> plus 360 is a portable, easy-to-use abrasion handpiece that adds water spray to air abrasion technology. The RONDOflex plus is an efficient, "snap-on" alternative to you existing air abrasion unit or small investment to get you started. From primary, secondary and wall dissections to finishing: the RONDOflex plus 360 air abrasion provides everything you need to ensure that your restorations provide lasting satisfaction. It doesn't matter whether you are opening a cavity, performing caries excavation or designing fillings.

RONDOflex<sup>™</sup> plus Part no. 1002.2179

Scan to view accessories and powder options



CONSTRUCTION OF THE OWNER OWNER OF THE OWNER OWNER



## **DIAGNOdent pen** HYGIENE – CARIES DETECTION

#### How the DIAGNOdent Works

The DIAGNOdent<sup>™</sup> pen uses laser fluorescence to aid in the detection of caries within the tooth structure. As the incident laser light is dispersed into the site, carious tooth structure will exhibit fluorescence, proportionate to the degree of caries, resulting in elevated scale readings on the display. Clean healthy tooth structure exhibits little or no fluorescence and will result in very low scale readings on the display.

#### **Proven Clinical Results**

Treatment decisions require a higher degree of certainty. The DIAGNOdent laser caries detection aid removes the doubt from treatment decisions regarding hidden caries or questionable stained grooves. The device's ability to see into occlusal pits and fissures enables dentists to treat subsurface carious lesions with confidence.

DIAGNOdent<sup>™</sup> pen Part no. 1004.3400 (pen) Part no. 1004.8400 (display/holder)

## Surgical systems

The KaVo Surgical portfolio redefines the best. They are simple, intuitive and easy to use with large color screens and pictorial guides for step-by-step implant procedures. KaVo's MASTERsurg and EXPERTsurg units offer intelligent power and precise torque.





#### **MASTERsurg LUX Wireless**

Wireless foot control makes the MASTERsurg a comfortable system to use while delivering maximum performance and safety. Easily customize up to 10 programs, each with 10 programmable steps for your desired implant workflow.



#### EXPERTsurg LUX

EXPERTsurg is easy to operate, saving you time to perform at your best. One touch auto calibration guarantees precise speed and torque for maximum safety.

#### Performance

Experience exceptional performance thanks to KaVo's INTRA<sup>™</sup> S600 LED, one of the world's lightest and smallest surgical micro motors that delivers adjustable torque up to 80 Ncm in implant mode.



### Surgical Attachments

|  |  | A CONTRACT OF CONTRACT | <b>KANO</b><br>Bithouse   |   | KANO<br>NATRA  | AND A |  |
|--|--|--|---|---|--|---|--|
| S15 L Pro  | S201 XL Pro  | S201 L Pro   | SURGmatic S11L  | 3610N1  | 3610N2   | 3610N3  |  |
| Speed-increasing 1:5   | Reduction Ratio 20:1   | Reduction Ratio 20:1   | 1:1 Transmission  | 1:1 Transmission  | 1:1 Transmission   | 1:1 Transmission  |  |
| CoolHead Technology,<br>EXPERTgrip, 3-port spray<br>for optimal cooling of the<br>entire bur | EXPERTgrip, Removeable<br>head, easy to clean  | EXPERTgrip, Removeable<br>head, easy to clean  | EXPERTgrip,<br>External spray   | Surgical straigh  | t attachment easily dismant  | led for cleaning  |  |
| 1014.4000  | 1013.7541  | 1013.7541  | 1009.1010   | 0524.5600   | 0524.5610  | 0524.5620   |  |
|  | Speed-increasing 1:5 CoolHead Technology, EXPERTgrip, 3-port spray for optimal cooling of the entire bur | S15 L ProS201 XL ProSpeed-increasing 1:5Reduction Ratio 20:1CoolHead Technology,<br>EXPERTgrip, 3-port spray<br>for optimal cooling of the<br>entire burEXPERTgrip, Removeable<br>head, easy to clean  | Sist ProScott XL ProScott ProSpeed-increasing 1:5Reduction Ratio 20:1Reduction Ratio 20:1CoolHead Technology,<br>EXPERTgrip, 3-port spray<br>for optimal cooling of the<br>entire burEXPERTgrip, Removeable<br>head, easy to cleanEXPERTgrip, Removeable<br>head, easy to clean | NoteNoteNoteNoteS15 L ProS201 XL ProS201 L ProSURGmatic S11LSpeed-increasing 1:5Reduction Ratio 20:1Reduction Ratio 20:11:1 TransmissionCoolHead Technology,<br>EXPERTgrip, 3-port spray<br>for optimal cooling of the<br>entire burEXPERTgrip, Removeable<br>head, easy to cleanEXPERTgrip, Removeable<br>head, easy to cleanEXPERTgrip, Removeable<br>EXPERTgrip, Removeable<br>head, easy to clean | S15 L ProS201 XL ProS201 L ProSURGmatic S11LJoint<br>SURGmatic S11LSpeed-increasing 1:5Reduction Ratio 20:1Reduction Ratio 20:11:1 TransmissionCoolHead Technology,<br>EXPERTgrip, 3-port spray<br>for optimal cooling of the<br>entire burEXPERTgrip, Removeable<br>head, easy to cleanEXPERTgrip, Removeable<br>head, easy to cleanEXPERTgrip,<br>Expertgrip,<br>External spraySurgical straight | Image: Single                 |  |







Î



### Introducing KaVo Care

KaVo Care<sup>™</sup> offers **fast and easy repair** of your KaVo handpieces and small equipment. Trust KaVo to restore your instrument to its original performance, using only genuine KaVo parts. All of our repairs are performed by our specialized team of expert KaVo technicians. With KaVo Care<sup>™</sup>, your instrument will be repaired and tested to factory new specifications, ensuring the exceptional performance you've come to expect. **Guaranteed.** 



### START YOUR KAVO REPAIR

- Register or log into your account at kavocare.com and select your repair. Confirm your order and print your UPS label from the portal.
- 2 Securely pack your item for shipment. UPS will be automatically notified to pick up your item within 2-business days.
- 3 Most repairs are completed within in 24-hours of arrival. Log in to **kavocare.com** anytime to check the status of your repair.
- 4 Once your repair is complete, you will be notified and your repaired device will be shipped back to you within 2-business days.

#### Get started today, visit kavocare.com



Dental Excellence from KaVo.



Save on Kavo. Scan to view current promotions.

The products, equipment and services illustrated and described in this brochure reflects knowledge at the time of printing. KaVo Dental accepts no liability for any deviation from the illustrations in terms of color or shape, or any errors or print errors, and retains the right to make changes to the brochure at any time. Full or partial reprinting is only permitted with permission from KaVo Dental. COMFORTdrive, DIAGNOdent, Direct Stop Technology, ELECTROmatic, EXPERTgrip, EXPERTsurg, EXPERTtorque, EXPERTmatic, GENTLEsilence, INTRA LUX, INTRAmatic, MASTERmatic, MASTERtorque, MASTERsurg, MULTIflex, PROPHYflex, PROPHYwiz, SURGtorque, SURGmatic, SMARTtorque, SMARTmatic, SONICflex and QUATTROcare are registered trademarks of KaVo Dental in the United States and/or other countries. Iconography is indended to be an artistic representation of product feature(s).

KaVo Dental | 11727 Fruehauf Drive | Charlotte, NC 28273 1-888-KAVO-USA | kavo.com © 2024 KaVo Dental. All rights reserved. KV02095/D5.24

