

All Adults: A comprehensive exam for new or established patients (D0180) includes a periodontal exam unless Full Mouth Debridement (D4355) is needed for a diagnosis. After FMD, the diagnosis can be determined.

Perio Protect is recommended for all patients with 10+ BOP or for patients with localized areas of persistent, continual bleeding.

Diagnosis & Treatment:

	Prevention for Healthy Gingiva with Comorbidities	Gingivitis	Stages 1 & 2	Stage 3	D4910 Perio Maintenance
	1-3 mm pockets No bleeding No inflammation	No bone loss 1-3 mm pockets	RBL up to 33% CAL up to 4mm 4-5mm pocket depths	RBL mid-third of root or more CAL 5+mm 6+mm pocket depths Tooth loss up to 4 teeth Vertical bone loss	Controlled bone loss 1-4mm pocket depths
Initial Treatment	D5995 maxillary D5996 mandibular D1110 Prophy	D5995 maxillary D5996 mandibular	D5995 maxillary D5996 mandibular	D5995 maxillary D5996 mandibular Rx Doxycycline Calcium	D5995 maxillary D5996 mandibular
Delivery 3 Weeks Later	Deliver Perio Tray™ therapy D9630 Perio Gel™ Trays 1x/day for 15 minutes	Deliver Perio Tray™ therapy D9630 Perio Gel™ Trays 3x/day for 15 minutes	Deliver Perio Tray™ therapy D9630 Perio Gel™ Trays 3x/day for 15 minutes	Deliver Perio Tray™ therapy D9630 Perio Gel™ Trays 3-4x/day for 15 minutes	Deliver Perio Tray™ therapy D9630 Perio Gel™ Trays 2x/day for 15 minutes
Re-Eval 2-4 Weeks after Delivery		Intraoral photos D4346 Gingivitis Trays 1-2x/day for 15 minutes	Intraoral photos D4341 or D4342 scaling (laser therapy) Trays 2x/day for 15 minutes	Intraoral photos D4341 or D4342 scaling (laser therapy) Trays 2x/day for 15 minutes	Intraoral photos D4910 Perio Maintenance Trays 2x/day for 15 minutes
Maintenance	D1110 Prophy D9630 Perio Gel™ Trays 1x/day for 15 minutes	D1110 Prophy Full Mouth Probe Intraoral photos D9630 Perio Gel™ Trays 1x/day for 15 minutes	D4910 Perio Maintenance Full Mouth Probe Intraoral photos D9630 Perio Gel™ Trays 1x/day for 15 minutes	D4910 Perio Maintenance Full Mouth Probe Intraoral photos D9630 Perio Gel™ Trays 1-2x/day for 15 minutes*	D4910 Perio Maintenance Full Mouth Probe Intraoral photos D9630 Perio Gel™ Trays 1x/day for 15 minutes

*Refractory maintenance patients may need to continue 2x/day in maintenance.

Refer patients to a periodontist if adequate healing does not occur. Patients with Stage 4 Periodontitis should be referred to a periodontist.